MINERVA

Ladies Staple Sweaters

Vol. 65

Price 25c

The Wm. H. Block Co.
DIST
60 K7
19

Hand-Knitting

In the War-time Life of the Nation

Be Patriotic

Hand-knitted garments release machines and labor for war work.

You help the United States Government's Wool Conservation Program, as there remains no unsold fabric that must be reprocessed.

Good warm hand-knitted garments will keep you comfortable at lower house temperatures—Thus you also can do your bit to conserve fuel oil.

And how much more comfortably you can go about your many home defense duties.

Be Thrifty

Knit your own and buy more bonds. Durability is the keystone of thrift. Just think of the many years of service from any one of these basic sweaters.

Be Busy

Fight the "War of Nerves" with hand-knitting. No better way has yet been found.

Minerva Presents A New Idea

BASIC SWEATERS ONLY

A complete selection of your favorite basic sweaters. Two hundred and sixty-four different garments can be made from the instructions given.

IN YOUR SIZE

Instructions are given for every garment in sizes 14, 16, 18 and 20.

IN YOUR FAVORITE YARN

Only staple yarns are called for. They are listed in three interchangeable yarn groupings, as shown on the opposite page. Instructions for any one yarn are also correct for any other yarn in that particular group.

See page 41 for general instructions and also for explanations for symbols and abbreviations. Be sure to make your swatch test as explained on page 41. Then you can be certain of a perfect fit.

No. 6500—CLAREMONT—*Shown on Cover—Instructions on Page 20*

A classic Cardigan for all around general use. Wear it with your casual clothes, for active sports wear, or with your Garden Blue Jeans. A "must" for every wardrobe.

PRINTED IN U.S.A. NINTH EDITION Copyright 1942—James Lees & Sons Company

INTERCHANGEABLE YARN GROUPS

Group One

This Group consists of light weight yarn of different textures and twists. It is suitable for Twin Sets and light weight Cardigans and Slip-overs.

MINERVA FEATHERDOWN—A yarn of extra fine quality, lightly twisted. It is made in clear solid colors and soft heather mixtures; an all-purpose soft yarn.

MINERVA HEATHER SPORTS YARN—A soft durable yarn, tightly twisted, in soft heather shades. Especially suited for light weight serviceable sports garments.

MINERVA SPORTS YARN—A soft, tightly twisted durable yarn especially suited for active sports and Service garments.

Group Two

This Group is composed of medium light weight, long wearing serviceable yarns. It features tweedy heather mixtures and excellent color ranges in the clear solid colors.

MINERVA FEATHERWEIGHT HEATHER YARN—A medium twist yarn in lovely heather shades. It is especially suited for active sports and Service wear because of its durability.

MINERVA FEATHERWEIGHT KNITTING WORSTED—A yarn of medium twist, well suited for staple garments. It is sturdy and durable, and comes in a wide range of beautiful shades.

MINERVA SPANISH TWIST KNITTING YARN—A tightly twisted medium weight all-purpose yarn made for Service and Sportswear. The color range contains both clear and heather shades.

106
42
64

Group Three

The yarns in this Group consist of the heavier four fold yarns suitable for out-of-door active sports and Service wear.

MINERVA AFGHAN GERMANTOWN —A soft velvety yarn suitable for women's and children's garments and also afghans. The color line is unusual with exceptional shade harmonies.

MINERVA, MILADY HEATHER YARN- -A very sturdy durable yarn in lovely heather shades for cardigans and slip-overs.

MINERVA, MILADY KNITTING WORSTED—Very strong and hardy, an all-purpose extra service yarn for men, women and children's garments. A wide variety of clear beautiful colors.

MEREDITH

No. 6501

The Slip-over illustrated is made of Minerva Featherdown, color—Natural No. 1066.

It is worked in Stockinette St. with K. 1, P. 1 ribbing borders.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	6	6	7	8

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	6

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	6

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN,
SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Double Point Needles
1 Set Size 3— 7 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	136 Sts.	144 Sts.	156 Sts.	164 Sts.

Work even in K. 1, P. 1 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start

	15″	16″	17″	18″

To Shape Armholes: Bind off 4 Sts. at the beginning of each of the next 4 rows (8 Sts. each side) then at each side

	D-2R-10	D 2R-14	D-2R-14	D 2R-14

Work even until armhole measures

	7″	7″	7½″	7½″

Take measurement straight up from bound off Sts. at under arm.

To Shape Shoulders: At each side

	B-6-2R-2	B-6-2R-2	B 6-2R-6	B-7 2R-2
	B-5 2R-4	B-5-2R-4		B 6-2R-4

Place on a St. holder remaining

	36 Sts.	36 Sts.	40 Sts.	44 Sts.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN,
2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA FEATHERWEIGHT KNITTING WORSTED,
2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA SPANISH TWIST KNITTING YARN
4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHER-
WEIGHT KNITTING WORSTED SPANISH TWIST
KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Needles, 1 Set Size 3— 7 inch

GAUGE: (Stockinette St.) 7 Sts. =1 inch
10 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	120 Sts.	126 Sts.	136 Sts.	144 Sts.

Work even in K. 1, P. 1 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start

	15″	16″	17″	18″

To Shape Armholes: Bind off 3 Sts. at the beginning of each of the next 4 rows. Then at each side

	D-2R-10	D-2R-13	D-2R-13	D-2R-13

Work even until armhole measures

	7″	7″	7½″	7½″

Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulders: At each side

	B-6-2R-3	B-6-2R-3	B-7-2R-2	B-7-2R-4
	B-5-2R-2	B-5-2R-2	B-6-2R-3	B-6-2R 1

(Continued on Page 22)

No. 6501—MEREDITH

As spirited and young as the clothes with which you'll wear it. There is nobody like the American Girl for practicability and smartness. No wonder—at work or play—they have voted the classic sweater their first choice.

BROOKTON

No. 6502

The Twin Set illustrated is made of Minerva Featherdown, color—Domingo No. 1001.

Both the Slip-over and the Cardigan are worked in Stockinette St. with K. 2, P. 2 ribbing borders.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls-Cardigan	7	7	8	9
Balls-Slip-over	6	7	8	8
Total Balls	13	14	16	17

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls-Cardigan	5	5	6	6
Balls-Slip-over	5	5	6	6
Total Balls	10	10	12	12

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls-Cardigan	5	5	6	6
Balls-Slip-over	5	5	6	6
Total Balls	10	10	12	12

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN, SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Double Point Needles, 1 Set Size 3— 7 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20
CARDIGAN-BACK: Cast on	136 Sts.	144 Sts.	156 Sts.	164 Sts.
Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from cast on edge	17″	17″	18″	18″
To Shape Armholes: Place 8 Sts. at the beginning of each of the next 2 rows on St. holders. Then at each side	D-2R-8	D-2R-10	D-2R-10	D-2R-10
Work even until armhole measures	7″	7″	7¼″	7¼″

Take measurement straight up from underarm Sts. placed on St. holders.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins-Cardigan	7	7	8	8
Skeins-Slip-over	6	7	8	8
Total Skeins	13	14	16	16

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins-Cardigan	7	7	8	8
Skeins-Slip-over	6	7	8	8
Total Skeins	13	14	16	16

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins-Cardigan	3	3	4	4
Skeins-Slip-over	3	3	4	4
Total Skeins	6	6	8	8

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Double Point Needles, 1 Set Size 4— 7 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

Sizes:	14	16	18	20
CARDIGAN-BACK: Cast on	108 Sts.	116 Sts.	128 Sts.	132 Sts.
Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from cast on edge	17″	17″	18″	18″
To Shape Armhole: Place 6 Sts. at the beginning of each of the next 2 rows on St. holders. Then at each side	D-2R-6	D-2R-8	D-2R-9	D-2R-8

(Continued on Page 23)

No. 6502—BROOKTON

A happy casual—this classic well loved Brook's Twin Sweater Set is made of our softest sweater yarn —MINERVA FEATHERDOWN. The MINERVA label is your assurance that the yarn has been tested and is certified for wearing quality, color and washability.

PHILMONT

No. 6503

The Slip-over illustrated is made of Minerva Afghan Germantown, color—Azure No. 608.

It is worked in Cable St. pattern with K. 2, P. 2 ribbing borders.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	6	8

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	6	8

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Double Point Needles, 1 Set Size 3— 7 inch

GAUGE: (Cable Pattern, 7 Sts. =1 inch
8 Rows=1 inch

Sizes:	14	16	18	20
PATTERN: For Back and Front				
Multiple of	36 Sts. plus 12	36 Sts. plus 18	36 Sts. plus 28	37 Sts. plus 33
Row 1—			K 4	K 6
		P 2	P 3	P 3
		K 1	K 1	K 1
	P 3	P 3	P 3	P 3
	K 6	K 6	K 6	K 7
* P 3, K 1, P 3, K 16, P 3, K 1, P 3 (for all sizes)				
	K 6	K 6	K 6	K 7
Repeat from * 2 times more across, ending	P 3	P 3	P 3	P 3
		K 1	K 1	K 1
		P 2	P 3	P 3
			K 4	K 6

GROUP 3

MINERVA AFGHAN GERMANTOWN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	7

MINERVA MILADY HEATHER YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	4	4	4	5

MINERVA MILADY KNITTING WORSTED, 4 ounce skeins

Sizes	14	16	18	20
Skeins	4	4	4	5

Instructions for
AFGHAN GERMANTOWN, HEATHER YARN, KNITTING WORSTED

Athena Noninflammable Needles, 1 Pr. Size 6—14 inch
Athena Noninflammable Needles, 1 Pr. Size 8—14 inch
Athena Noninflammable Double Point Needles, 1 Set Size 6— 7 inch

GAUGE: (Cable Pattern) 6 Sts. =1 inch
7 Rows=1 inch

Sizes:	14	16	18	20
PATTERN: For Back and Front				
Multiple of	31 Sts. plus 7	31 Sts. plus 15	31 Sts. plus 23	32 Sts. plus 28
Row 1—			K 2	K 4
			P 3	P 3
		K 2	K 1	K 1
	P 1	P 3	P 3	P 3
	K 5	K 5	K 5	K 6
* P 3, K 1, P 3, K 12, P 3, K 1, P 3 (all sizes)				
	K 5	K 5	K 5	K 6
Repeat from * 2 times more, ending	P 1	P 3	P 3	P 3
		K 2	K 1	K 1
			P 3	P 3
			K 2	K 4

(Continued on Page 26)

No. 6503—PHILMONT

This Cable Stitch Sweater was designed for playtime comfort. For active sports wear any time of the year this slip-over is indispensable. The garment pictured is made of MINERVA's soft velvety GERMANTOWN. Should you prefer a light weight sweater instructions are also given for any of the yarns in Group Two

SHELBURNE

No. 6504

The Cardigan illustrated is made of Minerva Spanish Twist Knitting Yarn, color—Sand No. 1226

It is worked in Stockinette St. and P. 2, K. 2 ribbing. The Border Sts. at front edge are worked in Stockinette St. with the next 2 Sts. purled on right side and knitted on wrong side.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	6	6	7	7

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN, SPORTS YARN

Athena Noninflammable Needles, 1 Pr Size 2—14 inch
Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Crochet Hook, Size 2— 6 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20
BACK: With size 2 needles cast on	120 Sts.	128 Sts.	140 Sts.	148 Sts.
Work even in K. 2, P. 2 ribbing for 7 inches. Then change to Size 3 needles and Stockinette St. and increase across next row as follows:	K 7	K 3	K 9	K 6
increase 1 St. in next St., then increase 1 St. in every	7th St.	8th St.	8th St.	9th St.
15 times across row, ending	K 7	K 4	K 10	K 6
Sts. on needle	136 Sts.	144 Sts.	156 Sts.	164 Sts.
Work even until work measures from start	14"	14"	14½"	14½"
To Shape Armholes: Place 8 Sts. at the beginning of each of the next 2 rows on St. holders for underarm. Then at each side	D-2R-7	D-2R-10	D 2R-10	D-2R-10

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	6	7

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	6	7

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	3

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Crochet Hook, Size 3— 6 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

Sizes:	14	16	18	20
BACK: With size 3 needles cast on	96 Sts.	104 Sts.	112 Sts.	120 Sts.
Work even in K. 2, P. 2 ribbing for 7 inches. Then change to size 4 needles and Stockinette St. and increase across next row as follows:	K 9	K 6	K 3	K 7
increase 1 St. in next St., then increase 1 St. in every	6th St.	7th St.	8th St.	8th St.
	13	13	13	13
times across row, ending	K 8	K 6	K 4	K 8
Sts. on needle	110 Sts.	118 Sts.	126 Sts.	134 Sts.

(Continued on Page 29)

No. 6504—SHELBURNE

A style that dovetails with your casual clothes, a completely wearable sweater, practical and smart. Made in our SPANISH TWIST KNITTING YARN in a light Natural Heather. MINERVA YARNS are Regal and their Classic Styles are right.

GRANVILLE

No. 6505

The Slip-over illustrated is made of Minerva Sports Yarn, color—Rose No. 1411.
It is worked in Stockinette St. with K. 2, P. 2 ribbing borders.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	5	5	6	6

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	3	3	4	4

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	3	3	4	4

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN,
SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Needles, 1 Pr. Size 2—14 inch
Athena Noninflammable Double Point Needles
1 Set Size 2— 7 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20

BACK: With size 2 needles, cast on
136 Sts. 144 Sts. 156 Sts. 164 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then change to size 3 needles and work even in Stockinette St. until work measures from start 17″ 17″ 18″ 19″

To Shape Armholes: Place 8 Sts. at the beginning of each of the next 2 rows on St. holders. Then decrease 1 St. each side every other row 10 times.

Work even until armhole measures
7″ 7″ 7½″ 7½″
Take measurement straight up from Sts. on St. holders at underarm.

Place on a St. holder remaining
100 Sts. 108 Sts. 120 Sts. 128 Sts.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN,
2 ounce skeins

Sizes	14	16	18	20
Skeins	5	5	6	6

MINERVA FEATHERWEIGHT KNITTING WORSTED,
2 ounce skeins

Sizes	14	16	18	20
Skeins	5	5	6	6

MINERVA SPANISH TWIST KNITTING YARN,
4 ounce skeins

Sizes	14	16	18	20
Skeins	2	2	3	3

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHER-
WEIGHT KNITTING WORSTED, SPANISH TWIST
KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Double Point Needles,
1 Set Size 3— 7 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

Sizes:	14	16	18	20

BACK: With size 3 needles, cast on
112 Sts. 116 Sts. 128 Sts. 132 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then change to size 4 needles and work even in Stockinette St. until work measures from start 17″ 17″ 18″ 19″

To Shape Armhole: Place 6 Sts. at the beginning of each of the next 2 rows on St. holders. Then at each side
D-2R-8 D-2R-8 D-2R-9 D-2R-9

Work even until armhole measures
7″ 7″ 7½″ 7½″
take measurement straight up from Sts. on St. holders at underarm.

(Continued on Page 31)

No. 6505—GRANVILLE

FIT has always set the fashion. Your lovely hand made sweaters are twice as lovely when they look as if they were really made "just for you". Here's proof that they can be dainty and feminine too.

ENDICOTT

No. 6506

The Cardigan illustrated is made of Minerva Milady Knitting Worsted, color—Air Force Blue No. 5066.

The body of the garment is worked in K. 1, P. 1 ribbing, and the sleeves in wide ribbing.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch

GAUGE: Ribbing (K. 1, P. 1)—7 Sts. =1 inch
8 Rows=1 inch

Sizes:	14	16	18	20

Ribbing Pattern for Sleeves: Multiple of 6 Sts. plus

	2	2	—	—
Row 1—	P. 2	P. 2	K. 2, P. 2	K. 2, P. 2
* K. 4, P. 2, repeat from * across row, ending	—	—	K. 2	K. 2
Row 2—	K. 2	K. 2	P. 2, K. 2	P. 2, K. 2
* P. 4, K. 2, repeat from * across row, ending	—	—	P. 2	P. 2

Repeat the 2 rows for Ribbing Pattern.

BORDER PATTERN: (10 Sts. at front edge) * K. 2 rows, P. 2 rows, repeat from * for entire border.

GROUP 3

MINERVA AFGHAN GERMANTOWN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	7

MINERVA MILADY HEATHER YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	4	4	5	5

MINERVA MILADY KNITTING WORSTED, 4 ounce skeins

Sizes	14	16	18	20
Skeins	4	4	5	5

Instructions for
AFGHAN GERMANTOWN, HEATHER YARN, KNITTING WORSTED

Athena Noninflammable Needles, 1 Pr. Size 7—14 inch

GAUGE: Ribbing (K. 1, P. 1)—5 Sts. =1 inch
6 Rows=1 inch

Sizes:	14	16	18	20

RIBBING PATTERN (for sleeves): Multiple of 6 Sts. plus

	4	4	—	—
Row 1—	—	—	K. 2, P. 2	K. 2, P. 2
* K. 4, P. 2, repeat from * across row ending,	K. 4	K. 4	K. 2	K. 2
Row 2—	P. 4	P. 4	P. 2	P. 2
* K. 2, P. 4, repeat from * across row, ending	—	—	K. 2, P. 2	K. 2, P. 2

Repeat these 2 rows for Ribbing Pattern.

BORDER PATTERN: (8 Sts. at front edge) * K. 2 rows, P. 2 rows, repeat from * for entire border.

BACK: Cast on	80 Sts.	84 Sts.	92 Sts.	98 Sts.

(Continued on Page 32)

No. 6506—ENDICOTT

This unusual Cardigan is lovely, very wearable and smart. A casual garment that is not too informal for general daytime wear when you want to look your best in a feminine care-free way.

SHERWOOD

No. 6507

The Cardigan illustrated is made of Minerva Heather Sports Yarn, color—Meadowbrook No. 1982.

It is worked in Stockinette St. with K. 2, P. 2 ribbing borders.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	6	6	7	8

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN,
SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	136 Sts.	144 Sts.	156 Sts.	164 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start

	17″	17″	18″	19″

To Shape Armholes: Bind off 8 Sts. at the beginning of each of the next 2 rows. Then at each side

	D-2R-6	D-2R-8	D-2R-8	D-2R-8

Work even until armhole measures

	7″	7″	7½″	7½″

Take measurement straight up from bound-off Sts. at underarm.

Place on a St. holder remaining

	108 Sts.	112 Sts.	124 Sts.	132 Sts.

LEFT FRONT: Cast on

	76 Sts.	80 Sts.	88 Sts.	92 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start

	17″	17″	18″	19″

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	7

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	7

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	112 Sts.	116 Sts.	128 Sts.	132 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start

	17″	17″	18″	19″

To Shape Armholes: Bind off 6 Sts. at the beginning of each of the next 2 rows. Then at each side

	D-2R-6	D-2R-7	D-2R-8	D-2R-7

Work even until armhole measures

	7″	7″	7½″	7½″

Take measurement straight up from bound-off Sts. at underarm.

Place on a St. holder remaining

	88 Sts.	90 Sts.	100 Sts.	106 Sts.

LEFT FRONT: Cast on

	60 Sts.	64 Sts.	72 Sts.	76 Sts.

(Continued on Page 35)

No. 6507—SHERWOOD

Minerva Classics are equally wearable for any time of the year, season after season and appropriate for almost any occasion where casual clothes are needed. Whether you're sweater minded or not here's a classic that any proud possessor will cherish for years.

LYNDON

No. 6508

The Slip-over illustrated is made of Minerva Spanish Twist Knitting Yarn, color—Canary No. 1203.

It is worked in Stockinette St. with P. 2, K. 1 ribbing borders at neck, bottom edge and sleeves.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	5	5	6	6

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	3	3	4	4

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	3	3	4	4

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN, SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

RIBBING PATTERN: Multiple of 3 Sts. plus 2
Row 1—P. 2, * K. 1, P. 2, repeat from * across row.
Row 2—K. 2, * P. 1, K. 2, repeat from * across row.
Repeat these 2 rows for Pattern.

Sizes:	14	16	18	20
BACK: Cast on	128 Sts.	134 Sts.	146 Sts.	158 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Now working in Stockinette St., decrease 1 St. each side. Then at each side	D-½″-12	D-½″-12	D-½″-11	D-½″-5 D-1 ″-4
When work measures from start	10″	10″	10½″	11″
increase 1 St. each side. Then at each side	I-¼″-16	I-¼″-16	I-¼″-12 I-½″-3	I-¼″-6 I-½″-7
Sts. on needle	136 Sts.	142 Sts.	154 Sts.	166 Sts.
When work measures from start	16″	16″	17″	18″

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	4	5	5	6

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	4	5	5	6

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	2	2	3	3

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

RIBBING PATTERN: Multiple of 3 Sts. plus 2
Row 1—P. 2, * K. 1, P. 2 repeat from * across row.
Row 2—K 2, * P 1, K 2, repeat from * across row.
Repeat these 2 rows for Pattern.

Sizes:	14	16	18	20
BACK: Cast on	104 Sts.	110 Sts.	119 Sts.	125 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Now working in Stockinette St., decrease 1 St. each side. Then at each side	D-½″-4 D-1 ″-4	D-½″-6 D-1 ″-3	D-½″-2 D-1 ″-5	D-1″-6
When work measures from start	10″	10″	10½″	11″
increase 1 St. each side. Then at each side	I-¼″-6 I-½″-5	I-¼″-10 I-½″-3	I-¼″-6 I-½″-6	I-½″-10
Sts. on needle	110 Sts.	118 Sts.	129 Sts.	133 Sts.

(Continued on Page 36)

No. 6508—LYNDON

The best combination of glamor and good value that you will find in a season's search. "Sculptured to you" sweaters seem like a part of you because they can be made to your own size, and if you wash them as instructed garments made of MINERVA YARNS will retain their original fit.

WHARTON

No. 6509

The Cardigan illustrated is made of Minerva Sports Yarn, color—Colonial Blue I No. 1407.

It is worked in Stockinette St. with K. 2, P. 2 ribbing bands at waist, front edges, bottom of sleeves and at center stripe of sleeves.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	6	6	7	8

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	4	5	5

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN, SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Crochet Hook, Size 3—6 inch

GAUGE: (Stockinette St.) 8 Sts. =1 inch
11 Rows=1 inch

RIBBING PATTERN: Multiple of 4 Sts. plus 2
Row 1—P. 2, * K. 2, P. 2, repeat from * across row.
Row 2—K. 2, * P. 2, K. 2, repeat from * across row.
Repeat these 2 rows for Pattern.
When there is a multiple of 4 Sts., repeat between *'s of Row 1 for Ribbing Pattern.

Sizes:	14	16	18	20
BACK Cast on	128 Sts.	136 Sts.	148 Sts.	156 Sts.

Working in Stockinette St., work even for 2 inches.
Decrease 1 St. each side, then at each side
D-½"-5 D-½"-5 D-½"-7 D-1 "-1
D-¼"-6 D-¼"-6 D-¼"-4 D-½"-8

When work measures from start
6" 6" 6½" 7"
Work even in K. 2, P. 2 ribbing for 2 inches.

Now working in Stockinette St., increase 1 St. each side, then at each side I-¼"-10 I-¼"-10 I-¼"-8 I-¼"-4
I-½"-5 I-½"-5 I-½"-7 I-½"-9

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	7	7

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	5	6	7	7

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	3	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Crochet Hook, Size 3— 6 inch

GAUGE: (Stockinette St.) 6½ Sts. =1 inch
9 Rows=1 inch

RIBBING PATTERN: Multiple of 4 Sts. plus 2
Row 1—P. 2, * K. 2, P. 2, repeat from * across row.
Row 2—K. 2, * P. 2, K. 2, repeat from * across row.
Repeat these 2 rows for pattern.
When there is a multiple of 4 Sts., repeat between *'s of Row 1 for Ribbing Pattern.

Sizes:	14	16	18	20
BACK: Cast on	104 Sts.	110 Sts.	120 Sts.	126 Sts.

Working in Stockinette St., work even for 2 inches.
Decrease 1 St. each side, then at each side
D-½"-7 D-½"-8 D-½"-9 D-1 "-2
D-¼"-2 D-½"-6

When work measures from start
6" 6" 6½" 7"
Work even in K. 2, P. 2 ribbing for 2 inches.

(Continued on Page 38)

No. 6509—WHARTON

A casual Cardigan for general use. Wear it with your "Peter Pan Dickey" or Sports Blouse. Keep in the young stride that millions of women find in their youthful classic sweaters. Have an eye for service —buy MINERVA YARNS—USE MINERVA INSTRUCTIONS—insure quality and fit.

CLAREMONT

No. 6500

Illustrated on cover

The Cardigan illustrated is made of Minerva Featherweight Heather Yarn, color—Natural No. 475.

It is worked in Stockinette St. with borders of sleeves, pockets and neck edge worked in K. 2, P. 2 ribbing. One St. inside front border is P. on every row.

GROUP 1

MINERVA FEATHERDOWN, 1 ounce balls

Sizes	14	16	18	20
Balls	7	7	8	8

MINERVA HEATHER SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	5	5	6

MINERVA SPORTS YARN, 2 ounce balls

Sizes	14	16	18	20
Balls	4	5	5	6

Instructions for
FEATHERDOWN, HEATHER SPORTS YARN, SPORTS YARN

Athena Noninflammable Needles, 1 Pr. Size 3—14 inch
Athena Noninflammable Crochet Hook, Size 2— 6 inch

GAUGE: (Stockinette St.)— 8 Sts. =1 inch
11 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	136 Sts.	144 Sts.	156 Sts.	164 Sts.
Work even in Stockinette St. until work measures from start	16″	16″	17″	17″
To Shape Armholes: Bind off 8 Sts. at the beginning of each of the next 2 rows. Then at each side	D-2R-10	D-2R-14	D-2R-14	D-2R-14
Work even until armhole measures	7″	7″	7½″	7½″

Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulders: At each side	B-4-2R-8	B-4-2R-8	B-4-2R-4 B-5-2R-4	B-5-2R-6 B-4-2R-2
Place on a St. holder remaining	36 Sts.	36 Sts.	40 Sts.	44 Sts.
LEFT FRONT: Cast on	76 Sts.	80 Sts.	92 Sts.	96 Sts.

GROUP 2

MINERVA FEATHERWEIGHT HEATHER YARN, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA FEATHERWEIGHT KNITTING WORSTED, 2 ounce skeins

Sizes	14	16	18	20
Skeins	6	6	7	8

MINERVA SPANISH TWIST KNITTING YARN, 4 ounce skeins

Sizes	14	16	18	20
Skeins	3	3	4	4

Instructions for
FEATHERWEIGHT HEATHER YARN, FEATHERWEIGHT KNITTING WORSTED, SPANISH TWIST KNITTING YARN

Athena Noninflammable Needles, 1 Pr. Size 4—14 inch
Athena Noninflammable Crochet Hook, Size 3— 6 inch

GAUGE: (Stockinette St.)—6½ Sts. =1 inch
9 Rows=1 inch

Sizes:	14	16	18	20
BACK: Cast on	110 Sts.	118 Sts.	126 Sts.	134 Sts.
Work even in Stockinette St. until work measures from start	16″	16″	17″	17″
To Shape Armholes: Bind off 6 Sts. at the beginning of each of the next 2 rows. Then at each side	D-2R-8	D-2R-12	D-2R-11	D-2R-12
Work even until armhole measures	7″	7″	7½″	7½″

Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulders: At each side	B-5-2R-2 B-4-2R-4	B-5-2R-2 B-4-2R-4	B-5-2R-6	B-5-2R-6
Place on a St. holder remaining	30 Sts.	30 Sts.	32 Sts.	38 Sts.
LEFT FRONT: Cast on	61 Sts.	65 Sts.	74 Sts.	78 Sts.

(Continued on next page)

GROUP 1

Work even in Stockinette St. On right side of work, always Purl the 9th St. 9th St. 13th St. 13th St. from front edge.

When work measures from start
16″ 16″ 17″ 17″
To Shape Armhole. Bind off 8 Sts. at side edge.
Then at same edge D-2R-12 D-2R-12 D-2R-14 D-2R-14

Work even until armhole measures 6 inches. Take measurement straight up from bound-off Sts. at underarm.

To Shape Neck: Place the
8 Sts. 8 Sts. 12 Sts. 12 Sts.
at front edge on a St. holder. Then at same edge
D-1R-10 D-1R-10 D-1R-10 D-1R-10
D-2R-6 D-2R-6 D-2R-6 D-2R-8
At the same time when armhole measures
7″ 7″ 8″ 8″
To Shape Shoulder: At armhole edge
B-4-2R-8 B-4-2R-4 B-5-2R-6 B-5-2R-4
B-5-2R-4 B-6-2R-2 B-6-2R-4

RIGHT FRONT: Cast on and work to correspond with Left Front. When work measures from start
2½″ 2½″ 3¼″ 3¼″
work a buttonhole 2 Sts. 2 Sts. 3 Sts. 3 Sts.
from front edge and 4 Sts. 4 Sts. 6 Sts. 6 Sts
wide on next row and every 2½ inches thereafter until 8 buttonholes in all are worked. To work buttonhole, see page 41. (The 9th buttonhole is worked in neckband in same manner.) Work remainder of Right Front to correspond with Left Front having decreases on opposite sides.

POCKETS: Cast on 40 Sts. 40 Sts. 44 Sts. 44 Sts.
and work even in Stockinette St. for
3½″ 3½″ 3¾″ 3¾″

Now work even in K. 2, P. 2 ribbing for
10 rows 10 rows 14 rows 14 rows
Bind off. Make 2.

SLEEVES: Cast on 64 Sts. 64 Sts. 68 Sts. 68 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches. Now working in Stockinette St., increase 1 St. each side. Then at each side
I-½″-6 I-½″-8 I-½″-12 I-½″-19
I-1″ -9 I-1″ -9 I-1″ -7 I-1″ -4

Sts. on needle 96 Sts. 100 Sts. 108 Sts. 116 Sts.

When sleeve measures from start
17½″ 18″ 18½″ 18½″
bind off 8 Sts. at the beginning of each of the next 2 rows.

GROUP 2

Work even in Stockinette St. On right side of work always Purl the 8th St. 8th St. 10th St. 10th St. from front edge.

When work measures from start
16″ 16″ 17″ 17″
To Shape Armhole: Bind off 6 Sts. at side edge.
Then at same edge D-2R-10 D-2R-10 D-2R-11 D-2R-12

Work even until armhole measures 6 inches. Take measurement straight up from bound-off Sts. at underarm.

To Shape Neck: Place the
7 Sts. 7 Sts. 9 Sts. 9 Sts.
at front edge on a St. holder. Then at same edge
D-1R-8 D-1R-7 D-1R-8 D-1R-8
D-2R-5 D-2R-5 D-2R-6 D-2R-7
At the same time when armhole measures
7″ 7″ 8″ 8″
To Shape Shoulder: At armhole edge,
B-4-2R-5 B-5-2R-6 B-5-2R-2 B-6-2R-6
B-5-2R-1 B-6-2R-4

RIGHT FRONT: Cast on and work to correspond with Left Front. When work measures from start
2½″ 2½″ 3¼″ 3¼″
work a buttonhole 2 Sts. from front edge and
4 Sts. 4 Sts. 5 Sts. 5 Sts.
wide on next row and every 2½ inches thereafter until 8 buttonholes in all are worked. To work buttonhole, see page 41. (The 9th buttonhole is worked in neck band in same manner.) Work remainder of Right Front to correspond with Left Front having decreases on opposite sides.

POCKETS: Cast on 32 Sts. 32 Sts. 36 Sts. 36 Sts.
and work even in Stockinette St. for
3½″ 3½″ 3¾″ 3¾″

Now work even in K. 2, P. 2 ribbing for
8 rows 8 rows 12 rows 12 rows
Bind off. Make 2.

SLEEVES: Cast on 52 Sts. 52 Sts. 56 Sts. 56 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches. Now working in Stockinette St., increase 1 St. each side. Then at each side
I-1″-12 I-½″-2 I-½″-4 I-½″-9
I-1″ -12 I-1″ -11 I-1″ -9

Sts. on needle 78 Sts. 82 Sts. 88 Sts. 94 Sts.

When sleeve measures from start
17½″ 18″ 18½″ 18½″
bind off 6 Sts. at the beginning of each of the next 2 rows.

(Continued on Page 22)

No. 6500 *(Continued from Page 21)*

GROUP 1

Then at each side	D-3R-12	D-3R-16	D-3R-14	D-3R-15
	D-2R-8	D-2R-4	D-2R-11	D-2R-5
	D-1R-8	D-1R-10	D-1R-8	D-1R-17
Bind off remaining	24 Sts.	24 Sts.	26 Sts.	26 Sts.

To assemble Cardigan, see page 41.

NECK BAND: Slip the Sts. of Right Front neck edge from St. holder, pick up 33 Sts. 33 Sts. 41 Sts. 41 Sts. at right neck edge, slip the Sts. of Back from St. holder, pick up same number of Sts. on left neck edge as for right neck edge, slip Sts. of Left Front neck edge from St. holder.

Sts. on needle	118 Sts.	118 Sts.	146 Sts.	150 Sts.

Continue to work first and last 8 Sts. 8 Sts. 12 Sts. 12 Sts. in Stockinette St. and remaining Sts. in ribbing as follows:
Row 1—(Wrong side of work) K. 2, * P. 2, K. 2, repeat from * across.
Row 2—P. 2, * K. 2, P. 2, repeat from * across. Work even for 10 rows 10 rows 14 rows 14 rows working a buttonhole on 5th row in same manner as before. Bind off loosely.

Work 1 row S. C. around front and bottom edges of Cardigan. Work 1 row S. C. around side and bottom edges of pockets. Sew pockets to Cardigan as illustrated. Face inside front edges with grosgrain ribbon.

GROUP 2

Then at each side	D-3R-9	D-5R-7	D-3R-10	D-3R-12
	D-2R-8	D-1R-19	D-2R-10	D-2R-6
	D-1R-7		D-1R-8	D-1R-10
Bind off remaining	18 Sts.	18 Sts.	20 Sts.	26 Sts.

To assemble Cardigan, see page 41.

NECK BAND: Slip the Sts. of right front neck edge from St. holder, pick up 28 Sts. 28 Sts. 33 Sts. 34 Sts. at right neck edge, slip Sts. of Back from St. holder, pick up same number of Sts. on left neck edge as for right neck edge, slip Sts. of left front neck edge from St. holder.

Sts. on needle	100 Sts.	100 Sts.	116 Sts.	124 Sts.

Continue to work first and last 7 Sts. 7 Sts. 9 Sts. 9 Sts. in Stockinette St. and remaining Sts. in ribbing as follows:
Row 1—(Wrong side of work) K. 2, * P. 2, K. 2, repeat from * across.
Row 2—P. 2, * K. 2, P. 2, repeat from * across, work even for 8 rows 8 rows 12 rows 12 rows working a buttonhole on 4th row in same manner as before. Bind off loosely.

Work 1 row S. C. around front and bottom edges of Cardigan. Work 1 row S. C. around side and bottom edges of pockets. Sew pockets to Cardigan as illustrated. Face inside front edges with grosgrain ribbon.

MEREDITH

No. 6501

(Continued from Page 2)

GROUP 1

FRONT: Cast on	144 Sts.	152 Sts.	172 Sts.	180 Sts.

Work even in K. 1, P. 1 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start 15″ 16″ 17″ 18″

Right Shoulder: Next row (right side) K 72 K 76 K 86 K 90 and place these Sts. on a St. holder. On remaining Sts. at side edge, bind off 4 Sts. every other row 2 times, then at same edge D-2R-12 D-2R-12 D-2R-14 D-2R-14
At the same time at neck edge decrease 1 St., then at same edge D-4R-19 D-4R-19 D-5R-3 D-4R-18 D-4R-18 D-3R-5

GROUP 2

Place on a St. holder remaining 32 Sts. 32 Sts. 34 Sts. 38 Sts.

FRONT: Cast on	126 Sts.	134 Sts.	150 Sts.	158 Sts.

Work even in K. 1, P. 1 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start 15″ 16″ 17″ 18″

Right Shoulder: Next row (right side) K 63 K 67 K 75 K 79 and place these Sts. on a St. holder. On remaining Sts. at side edge, bind off 3 Sts. every other row 2 times, then at same edge D-2R-11 D-2R-11 D-2R-13 D-2R-13
At the same time at neck edge decrease 1 St., then at same edge D-4R-8 D-4R-8 D-5R-3 D-4R-19 D-3R-9 D-3R-9 D-4R-16 D-3R-1

(Continued on next page)

GROUP 1

When armhole measures
7″ 7″ 8″ 8″
(Take measurement straight up from bound-off Sts. at underarm.)
To Shape Shoulder: At side edge
B-6-2R-2 B-6-2R-6 B-7-2R-6 B-8-2R-2
B-5-2R-4 B-7-2R-4

Slip Sts. of left shoulder from St. holder, and work to correspond with right shoulder, reversing decreases.

SLEEVES: Cast on 52 Sts. 52 Sts. 64 Sts. 66 Sts.

Work even in K. 1, P. 1 ribbing for 3 inches. Now working in Stockinette St., increase 1 St. each side, then each side
I-½″-10 I-½″-10 I-½″-14 I-½″-18
I-1″ -8 I-1″ -8 I-1″ -7 I-1″ -5

Sts. on needle 90 Sts. 90 Sts. 108 Sts. 114 Sts.

When work measures from start
18″ 18″ 18½″ 18½″
bind off 4 Sts. at the beginning of each of the next 4 rows.

Then at each side D-2R-23 D-2R-23 D-2R-26 D-2R-28
D-1R-6 D-1R-6 D-1R-12 D-1R-10

Bind off remaining 16 Sts. 16 Sts. 16 Sts. 22 Sts.

To assemble garment, see page 41. With double point needles pick up 164 Sts. 164 Sts. 184 Sts. 190 Sts. around neck and work in K. 1, P. 1 ribbing for 1 inch, mitering V neck by K. 2 together two times every row at center front.

GROUP 2

When armhole measures
7″ 7″ 8″ 8″
(Take measurement straight up from bound-off Sts. at underarm.)
To Shape Shoulder: At side edge
B-6-2R-3 B-7-2R-2 B-8-2R-1 B-8-2R-4
B-5-2R-2 B-6-2R-3 B-7-2R-4 B-7-2R-1

Slip Sts. of left shoulder from St. holder, and work to correspond with right shoulder.

SLEEVES: Cast on 46 Sts. 46 Sts. 54 Sts. 56 Sts.

Work even in K. 1, P. 1 ribbing for 1 inch. Now working in Stockinette St., increase 1 St. each side, then each side
I-½″-10 I-½″-10 I-½″-10 I-½″-16
I-1″ -8 I-1″ -8 I-1″ -9 I-1″ -6

Sts. on needle 84 Sts. 84 Sts. 94 Sts. 102 Sts.

When work measures from start
18″ 18″ 18½″ 18½″
bind off 3 Sts. at the beginning of each of the next 4 rows.

Then at each side D-2R-22 D-2R-22 D-3R-2 D-2R-25
D-1R-3 D-1R-3 D-2R-25 D-1R-6

Bind off remaining 22 Sts. 22 Sts. 28 Sts. 28 Sts.

To assemble garment, see page 41. With double point needles pick up 146 Sts. 146 Sts. 162 Sts. 168 Sts. around neck and work in K. 1, P. 1 ribbing for 1 inch, mitering V-neck by K. 2 together two times every row at center front.

BROOKTON

No. 6502

(Continued from Page 4)

GROUP 1

Place on a St. holder remaining
104 Sts. 108 Sts. 120 Sts. 128 Sts.

CARDIGAN-LEFT FRONT: Cast on
76 Sts. 80 Sts. 88 Sts. 92 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from cast on edge
17″ 17″ 18″ 18″

GROUP 2

Work even until armhole measures
7″ 7″ 7¼″ 7¼″
Take measurement straight up from Sts. placed on St. holders.

Place on a St. holder remaining
84 Sts. 88 Sts. 98 Sts. 104 Sts.

CARDIGAN-LEFT FRONT: Cast on
60 Sts. 64 Sts. 72 Sts. 76 Sts.

(Continued on Page 24)

No. 6502 *(Continued from Page 23)*

GROUP 1

To Shape Armhole: Place first 8 Sts. at side edge on a St. holder. Then at side edge
D-2R-10 D-2R-10 D-2R-9 D-2R-9

Work even until armhole measures
6½″ 6½″ 7½″ 7½″
Take measurement straight up from underarm Sts. placed on St. holder.

Next row (wrong side) work over
30 Sts. 34 Sts. 39 Sts. 41 Sts.
and place these Sts. on a St. holder.

On remaining 28 Sts. 28 Sts. 32 Sts. 34 Sts.
work even in Garter St. for 8 rows. Place Sts. on a St. holder.

RIGHT FRONT: Cast on and work to correspond with Left Front. When work measures
1¼″ 1¼″ 2″ 2″

Work a buttonhole 3 Sts. from front edge and 4 Sts. wide. Work 4 more buttonholes each
4½″ 4½″ 4¾″ 4¾″
apart. (To work buttonholes, see page 41.) Work remainder of Right Front to correspond with Left Front, having decreases on opposite sides.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

CARDIGAN-SLEEVES: On right side of work slip the 8 Sts. of underarm from St. holder, pick up
100 Sts. 100 Sts. 116 Sts. 116 Sts.
around armhole, slip the last 8 Sts. of underarm from St. holder.

Sts. on needle 116 Sts. 116 Sts. 132 Sts. 132 Sts.

Work even in Stockinette St. for 3 inches. Decrease 1 St. each side, then each side
D-1″ -6 D-1″ -6 D-½″-24 D-½″-24
D-½″-12 D-½″-12

When work measures from picked up Sts.
18½″ 18½″ 20″ 20″
decrease 10 Sts. across next K. row by K. every 6th and 7th St. together across row.

Work even for 3½ inches in K. 2, P. 2 ribbing on remaining
68 Sts. 68 Sts. 72 Sts. 72 Sts.
Bind off.

Sew underarm and sleeve seams.

GROUP 2

Work even K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start
17″ 17″ 18″ 18″

To Shape Armhole: Place first 6 Sts. at side edge on a St. holder. Then at side edge
D-2R-7 D-2R-8 D-2R-8 D-2R-8

Work even until armhole measures
6½″ 6½″ 7½″ 7½″
Take measurement straight up from Sts. placed on St. holder.

Next row (on wrong side) work over
24 Sts. 27 Sts. 32 Sts. 34 Sts.
and place these Sts. on a St. holder.

On remaining 23 Sts. 23 Sts. 26 Sts. 28 Sts.
work even in Garter St. for 8 rows. Place Sts. on a St. holder.

RIGHT FRONT: Cast on and work to correspond with Left Front. When work measures
1¼″ 1¼″ 2″ 2″

Work a buttonhole 2 Sts. from front edge and 3 Sts. wide. Work 4 more buttonholes each
4½″ 4½″ 4¾″ 4¾″
apart. To work buttonholes, see page 41. Work remainder of Right Front to correspond with Left Front, having decreases on opposite sides.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

CARDIGAN-SLEEVES: On right side of work slip the 6 Sts. of underarm from St. holder, pick up
84 Sts. 84 Sts. 98 Sts. 98 Sts.
around armhole, slip the last 6 Sts. of underarm from St. holder.

Sts. on needle 96 Sts. 96 Sts. 110 Sts. 110 Sts.

Work even in Stockinette St. for 3 inches. Decrease 1 St. each side, then each side
D-1″ -7 D-1″ -7 D-1″ -7 D-1″ -7
D-½″-7 D-½″-7 D-½″-12 D-½″-12

When work measures from picked up Sts.
18½″ 18½″ 20″ 20″
decrease 10 Sts. across next K. row by K. every 5th and 6th St. together across row.

Work even for 3½ inches in K. 2, P. 2 ribbing on remaining
56 Sts. 56 Sts. 60 Sts. 60 Sts.
Bind off.

Sew underarm and sleeve seams.

(Continued on next page)

GROUP 1

NECK BAND: Slip the Sts. of Right Front neck edge from St. holder, pick up along right shoulder edge

6 Sts. 6 Sts. 7 Sts. 7 Sts.

slip the remaining 48 Sts. 52 Sts. 56 Sts. 60 Sts.

of Back from St. holder, pick up along left shoulder edge

6 Sts. 6 Sts. 7 Sts. 7 Sts.

Slip Sts. of Left Front neck edge from St. holder.

Sts. on needle 120 Sts. 132 Sts. 148 Sts. 156 Sts.

Work even K. 2, P. 2 ribbing for ¾ inch, working a buttonhole (6th buttonhole) on 3rd row at right front edge in same manner as before. Bind off loosely.

Face outside front edge with 1-inch grosgrain ribbon.

SLIP-OVER-BACK: Follow instructions for Cardigan Back; work even in ribbing for 1¾ inches, then work in Stockinette St.

When armhole measures

7″ 7″ 7½″ 7½″

Take measurement straight up from Sts. placed on St. holder.

Place on a St. holder remaining

104 Sts. 108 Sts. 120 Sts. 128 Sts.

SLIP-OVER-FRONT: Cast on

144 Sts. 152 Sts. 172 Sts. 180 Sts.

Work even in K. 2, P. 2 ribbing for 1¾ inches. Then work even in Stockinette St. until work measures from cast on edge

17″ 17″ 18″ 18″

To Shape Armholes: Place 8 Sts. at the beginning of each of the next 2 rows on St. holders, then at each side decrease 1 St. every other row 10 times.

Work even until armhole measures

6¼″ 6¼″ 7¼″ 7¼″

Take measurement straight up from Sts. at underarm placed on St. holders.

Next row (right side)

K 80 K 88 K 104 K 110

and place these Sts. on a St. holder. On remaining

28 Sts. 28 Sts. 32 Sts. 34 Sts.

work even in Garter St. for 8 rows. Place Sts. on a St. holder.

Slip the first 28 Sts. 28 Sts. 32 Sts. 34 Sts.

at side edge from St. holder and work left shoulder in same manner as right shoulder.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

GROUP 2

NECK BAND: Slip the Sts. of Right Front neck edge from St. holder, pick up along right shoulder edge

5 Sts. 6 Sts. 5 Sts. 6 Sts.

slip the remaining 38 Sts. 42 Sts. 46 Sts. 48 Sts.

of Back from St. holder and pick up along left shoulder edge

5 Sts. 6 Sts. 5 Sts. 6 Sts.

Slip Sts. of Left Front neck edge from St. holder.

Sts. on needle 96 Sts. 108 Sts. 120 Sts. 128 Sts.

Work even in K. 2, P. 2 ribbing for ¾ inch, working a buttonhole (6th buttonhole) on 3rd row at Right Front edge in same manner as before. Bind off loosely.

Face outside front edges with 1-inch grosgrain ribbon.

SLIP-OVER-BACK: Follow instructions for Cardigan Back; work even in ribbing for 1¾ inches, then work in Stockinette St.

Work even until armhole measures

7″ 7″ 7½″ 7½″

Take measurement straight up from Sts. placed on St. holder.

Place on a St. holder remaining

84 Sts. 88 Sts. 98 Sts. 104 Sts.

SLIP-OVER-FRONT: Cast on

116 Sts. 124 Sts. 140 Sts. 148 Sts.

Work even in K. 2, P. 2 ribbing for 1¾ inches. Then work even in Stockinette St. until work measures from cast on edge

17″ 17″ 18″ 18″

To Shape Armholes: Place 6 Sts. at the beginning of each of the next 2 rows on St. holders. Then at each side

D-2R-8 D-2R-9 D-2R-9 D-2R-9

Work even until armhole measures

6¼″ 6¼″ 7¼″ 7¼″

Take measurement straight up from Sts. at underarm placed on St. holders.

Next row (right side)

K 65 K 71 K 84 K 90

and place these Sts. on a St. holder. On remaining

23 Sts. 23 Sts. 26 Sts. 28 Sts.

work even in Garter St. for 6 rows. Place Sts. on a St. holder.

Slip the first 23 Sts. 23 Sts. 26 Sts. 28 Sts.

at side edge from St. holder and work left shoulder in same manner as right shoulder.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

(Continued on Page 26)

No. 6502 *(Continued from Page 25)*

GROUP 1

SLIP-OVER-SLEEVES: On right side of work slip the 8 Sts. of underarm from St. holder, pick up
96 Sts. 96 Sts. 112 Sts. 112 Sts.
around armhole, slip the last 8 Sts. of underarm from St. holder.

Sts. on needle 112 Sts. 112 Sts. 128 Sts. 128 Sts.

Work even in Stockinette St. for 3 inches. Decrease 1 St. each side, then each side
D-1″ -4 D-1″ -4 D-½″-24 D-½″-24
D-½″-14 D-½″-14

When work measures from picked up Sts.
18½″ 18½″ 20″ 20″
decrease 10 Sts. across next row by K. every 6th and 7th St. together.

Work even for 3½ inches in K. 2, P. 2 ribbing on remaining
64 Sts. 64 Sts. 68 Sts. 68 Sts.
Bind off.

Sew underarm and sleeve seams.

NECK BAND: With double point needles, slip the remaining
48 Sts. 52 Sts. 56 Sts. 60 Sts.
of back from St. holder, pick up 6 Sts. along left shoulder edge, slip the remaining
52 Sts. 60 Sts. 72 Sts. 76 Sts.
of Front from St. holder, pick up 6 Sts. along right shoulder edge.

Sts. on needles 112 Sts. 124 Sts. 140 Sts. 148 Sts.

Work around in K. 2, P. 2 ribbing for ¾ inch. Bind off loosely.

GROUP 2

SLIP-OVER-SLEEVES: On right side of work slip the 6 Sts. of underarm from St. holder, pick up
80 Sts. 80 Sts. 94 Sts. 94 Sts.
around armhole, slip the last 6 Sts. of underarm from St. holder.

Sts. on needle 92 Sts. 92 Sts. 106 Sts. 106 Sts.

Work even in Stockinette St. for 3 inches. Decrease 1 St. each side, then each side
D-1″ -10 D-1″ -10 D-1″ -7 D-1″ -7
D-½″-4 D-½″-4 D-½″-12 D-½″-12

When work measures from picked up Sts.
18½″ 18½″ 20″ 20″
decrease 10 Sts. across next K. row by K. together every 5th and 6th St. across.

Work even for 3½ inches in K. 2, P. 2 ribbing on remaining
52 Sts. 52 Sts. 56 Sts. 56 Sts.
Bind off.

Sew underarm and sleeve seams.

NECK BAND: With double point needles, slip the remaining
38 Sts. 42 Sts. 46 Sts. 48 Sts.
of Back from St. holder, pick up along left shoulder edge
6 Sts. 5 Sts. 6 Sts. 5 Sts.
slip the remaining 42 Sts. 48 Sts. 58 Sts. 62 Sts.
of Front from St. holder, pick up along right shoulder edge
6 Sts. 5 Sts. 6 Sts. 5 Sts.

Sts. on needles 92 Sts. 100 Sts. 116 Sts. 120 Sts.

Work around in K. 2, P. 2 ribbing for ¾ inch. Bind off loosely.

PHILMONT

No. 6503

(Continued from Page 6)

GROUP 2

Row 2—			P 4	P 6
		K 2	K 3	K 3
		P 1	P 1	P 1
	K 3	K 3	K 3	K 3
	*P 6	*P 6	*P 6	*P 7

K 3, P 1, K 3, P 16, K 3, P 1, K 3 (all sizes)

GROUP 3

Row 2—			P 2	P 4
			K 3	K 3
		P 2	P 1	P 1
	K 1	K 3	K 3	K 3
	*P 5	*P 5	*P 5	*P 6

K 3, P 1, K 3, P 12, K 3, P 1, K 3 (all sizes)

(Continued on next page)

GROUP 2

Repeat from * 2 times more across, ending

P 6	P 6	P 6	P 7
K 3	K 3	K 3	K 3
	P 1	P 1	P 1
	K 2	K 3	K 3
		P 4	P 6

Repeat rows 1 and 2 six times more.

Row 15—Work across

16 Sts. 19 Sts. 24 Sts. 27 Sts.

then on next 16 Sts. work Cable as follows:

* Slip next 8 Sts. on double point needle, place in front of work, K. next 8 Sts., then K. the 8 Sts. from double point needle (forming Cable). Work across to the next 16 K. Sts., repeat from * 2 times more, work to end of row.

Row 16—Same as row 2.

Repeat from row 1 for Pattern.

BACK: With size 3 needles cast on

120 Sts. 126 Sts. 136 Sts. 144 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches, then change to size 4 needles and work in Pattern until work measures from start 14″ 15″ 16″ 17″

To Shape Armholes: Bind off at each side

	4 Sts.	4 Sts.	5 Sts.	5 Sts.
Then at each side	D-2R-7	D-2R-9	D-1R-12	D-1R-12

Work even until armhole measures

7″ 7″ 8″ 8″

Take measurements straight up from the bound off Sts. at underarm.

To Shape Shoulders: At each side

B-8-2R-3 B-8-2R-2 B-9-2R-3 B-9-2R-3
B-9-2R-1 B-9-2R-2 B-8-2R-1 B-8-2R-1

Slip remaining Sts. on St. holder

32 Sts. 32 Sts. 32 Sts. 40 Sts.

FRONT: Cast on and work same as for Back until armhole measures 5½″ 5½″ 6″ 6″

Take measurement straight up from the bound off Sts. at underarm. Work over first

57 Sts. 58 Sts. 59 Sts. 65 Sts.

and place these Sts. on a St. holder.

On remaining 41 Sts. 42 Sts. 43 Sts. 45 Sts.

work right shoulder as follows: At neck edge

D-1R-8 D-1R-8 D-1R-8 D-1R-10

GROUP 3

Repeat from * 2 times more, ending

P 5	P 5	P 5	P 6
K 1	K 3	K 3	K 3
	P 2	P 1	P 1
		K 3	K 3
		P 2	P 4

Repeat rows 1 and 2 five times more.

Row 13—Work across

13 Sts. 17 Sts. 21 Sts. 24 Sts.

* then on next 12 Sts. work Cable as follows:

Slip next 6 Sts. on a double point needle and place in front of work, K. next 6 Sts., then K. the 6 Sts. from double point needle (forming cable).

Work across to next 12 K. Sts., repeat from *2 times more, work to end of row.

Row 14—Same as row 2.

Repeat from row 1 for Pattern.

BACK: With size 6 needles cast on

102 Sts. 108 Sts. 116 Sts. 124 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches. Then change to size 8 needles and work in Pattern until work measures from start 14″ 15″ 16″ 17″

To Shape Armholes: Bind off at each side

	4 Sts.	6 Sts.	6 Sts.	6 Sts.
Then at each side	D-2R-5	D-2R-5	D-2R-5	D-2R-6

Work even until armhole measures

7″ 7″ 8″ 8″

Take measurement straight up from bound off Sts. at underarm.

To Shape Shoulders: At each side

B-7-2R-4 B-7-2R-4 B-8-2R-4 B-9-2R-3
B-6-2R-1

Slip remaining Sts. on St. holder

28 Sts. 30 Sts. 30 Sts. 34 Sts.

FRONT: Cast on and work in same manner as for Back until armhole measures 5½″ 5½″ 6″ 6″

Take measurement straight up from bound-off Sts. at underarm. Work over first

49 Sts. 50 Sts. 54 Sts. 58 Sts.

and place these Sts. on a St. holder.

(Continued on Page 28)

No. 6503 *(Continued from Page 27)*

GROUP 2

When armhole measures
7″ 7″ 8″ 8″

To Shape Shoulder: At armhole edge
B-8-2R-3 B-8-2R-2 B-9-2R-3 B-9-2R-3
B-9-2R-1 B-9-2R-2 B-8-2R-1 B-8-2R-1

Slip Sts. for left shoulder from St. holder
41 Sts. 42 Sts. 43 Sts. 45 Sts.
leaving remaining 16 Sts. 16 Sts. 16 Sts. 20 Sts.
of center front on St. holder.
Work left shoulder to correspond with right shoulder, reversing shaping.

SLEEVES: With size 3 needles cast on
56 Sts. 56 Sts. 60 Sts. 60 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches, then change to size 4 needles and work in Pattern as follows:

Row 1—			K 2	K 1
	P 3	P 3	P 3	P 3
	K 1	K 1	K 1	K 1
	P 3	P 3	P 3	P 3
	K 6	K 6	K 6	K 7

P 3, K 1, P 3, K 16, P 3, K 1, P 3 (all sizes)

	K 6	K 6	K 6	K 7
	P 3	P 3	P 3	P 3
	K 1	K 1	K 1	K 1
	P 3	P 3	P 3	P 3
			K 2	K 1

Row 2			P 2	P 1
	K 3	K 3	K 3	K 3
	P 1	P 1	P 1	P 1
	K 3	K 3	K 3	K 3
	P 6	P 6	P 6	P 7

K 3, P 1, K 3, P 16, K 3, P 1, K 3 (all sizes)

	P 6	P 6	P 6	P 7
	K 3	K 3	K 3	K 3
	P 1	P 1	P 1	P 1
	K 3	K 3	K 3	K 3
			P 2	P 1

Work Cable Pattern same as on Back working all Sts. in Pattern but cable only the 16 Sts. at center of Sleeve.

Work even for 1 inch, then increase 1 St. at each side then
I-1″-13 I-1″-13 I-½″-6 I-½″-14
I-1″ -10 I-1″-6

Sts. on needle 84 Sts. 84 Sts. 94 Sts. 102 Sts.

GROUP 3

On remaining 35 Sts. 36 Sts. 40 Sts. 42 Sts.
work right shoulder as follows: At neck edge
D-1R-7 D-1R-8 D-1R-8 D-1R-9

When armhole measures
7″ 7″ 8″ 8″

To Shape Shoulder: At armhole edge
B-7-2R-4 B-7-2R-4 B-8-2R-4 B-9-2R-3
B-6-2R-1

Slip Sts. for left shoulder from St. holder
35 Sts. 36 Sts. 40 Sts. 42 Sts.
leaving remaining 14 Sts. 14 Sts. 14 Sts. 16 Sts.
of center front on St. holder.
Work left shoulder to correspond with right shoulder, reversing shaping.

SLEEVES: With size 6 needles cast on
44 Sts. 44 Sts. 48 Sts. 48 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches. Then change to size 8 needles and work in Pattern as follows:

Row 1—	K 1	K 1	K 2	K 1
	P 3	P 3	P 3	P 3
	K 5	K 5	K 6	K 7

P 3, K 1, P 3, K 12, P 3, K 1, P 3 (all sizes)

	K 5	K 5	K 6	K 7
	P 3	P 3	P 3	P 3
	K 1	K 1	K 2	K 1

Row 2—	P 1	P 1	P 2	P 1
	K 3	K 3	K 3	K 3
	P 5	P 5	P 6	P 7

K 3, P 1, K 3, P 12, K 3, P 1, K 3 (all sizes)

	P 5	P 5	P 6	P 7
	K 3	K 3	K 3	K 3
	P 1	P 1	P 2	P 1

Work Cable Pattern same as on Back working all Sts. in Pattern but cable only the 12 Sts. at center of Sleeve.

Work even for 1 inch, then increase 1 St. at each side then
at each side I-1″-5 I-1″-5 I-1″-7 I-1″-13
I-2″-4 I-2″-4 I-2″-3

Sts. on needle 64 Sts. 64 Sts. 70 Sts. 76 Sts.

(Continued on next page)

GROUP 2

When work measures 17½" 18" 18½" 18½"
bind off 4 Sts. at each side, then at each side
D-2R-7 D-2R-7 D-2R-8 D-2R-10
D-1R-17 D-1R-17 D-1R-19 D-1R-19

Bind off remaining 28 Sts. 28 Sts. 32 Sts. 36 Sts.

To assemble garment, see page 41.

NECKBAND: With double point needles slip Sts. of center front and back neck edge from St. holders, picking up at each side 22 Sts. 24 Sts. 28 Sts. 28 Sts.

Sts. on Needles 92 Sts. 96 Sts. 104 Sts. 116 Sts.

Work even in K. 2, P. 2 ribbing for 7 rounds. Bind off loosely.

GROUP 3

When work measures 17½" 18" 18½" 18½"
bind off 3 Sts. at the beginning of each of the next 4 rows, then at each side D-2R-4 D-2R-4 D-2R-8 D-2R-5
D-1R-12 D-1R-12 D-1R-11 D-1R-17

Bind off remaining 20 Sts. 20 Sts. 20 Sts. 20 Sts.

To assemble garment, see page 41.

NECKBAND: With double point needles slip Sts. of center front and back neck edge from St. holders, picking up at each side 19 Sts. 20 Sts. 22 Sts. 21 Sts.

Sts. on needles 80 Sts. 84 Sts. 88 Sts. 92 Sts.

Work even in K. 2, P. 2 ribbing for 5 rounds. Bind off loosely.

SHELBURNE

No. 6504

(Continued from Page 8)

GROUP 1

Work even until armhole measures
7" 7" 7½" 7½"
Take measurement straight up from Sts. on St. holder at underarm.

Place 36 Sts. 36 Sts. 40 Sts. 42 Sts.
at the beginning of each of the next 2 rows on St. holders.

Bind off remaining 34 Sts. 36 Sts. 40 Sts. 44 Sts.

LEFT FRONT: With size 2 needles cast on
68 Sts. 72 Sts. 80 Sts. 88 Sts.
and work as follows:
Row 1—* K. 2, P. 2, repeat from * across row, ending K. 8.
Row 2—P. 8, * K. 2, P. 2, repeat from * across row.
Repeat these 2 rows for Pattern (the 8 Sts. at front edge are worked in Stockinette St. for remainder of front). Work even in Pattern for 7 inches.

Then change to size 3 needles and Stockinette St. (except for the 2 P. Sts. next to the 8 Stockinette Sts. at front edge). Increase across next row (right side of work) as follows:
Increase 1 St. in every 7th St. 7th St. 7th St. 13th St.
8 8 10 6
times across row, ending
K2,P2,K8 K6,P2,K8 P2,K8 P2,K8

GROUP 2

Work even until work measures from start
14" 14" 14½" 14½"

To Shape Armholes: Place 6 Sts. at the beginning of each of the next 2 rows on St. holders for underarm. Then at each side D-2R-5 D-2R-9 D-2R-8 D-2R-9

Work even until armhole measures
7" 7" 7½" 7½"
Take measurement straight up from Sts. on St. holder at underarm.

Place 30 Sts. 30 Sts. 33 Sts. 34 Sts.
at the beginning of each of the next 2 rows on St. holders.

Bind off remaining 28 Sts. 28 Sts. 32 Sts. 36 Sts.

LEFT FRONT: With size 3 needles cast on
54 Sts. 58 Sts. 66 Sts. 70 Sts.
and work as follows:

Row 1—* K. 2, P. 2, repeat from * across row, ending K. 6.

Row 2—P. 6, * K. 2, P. 2, repeat from * across row.

Repeat these 2 rows for Pattern (the 6 Sts. at front edge are worked in Stockinette St. for remainder of front). Work even in Pattern for 7 inches.

(Continued on Page 30)

No. 6504 (Continued from Page 29)

GROUP 1

Now always decreasing inside the border at front edge by K. the 12th and 13th St. from edge together, decrease 1 St. at front edge. Then at same edge

D-½"-4 D-½"-4 D-½"-4 D-½"-8
D-1" -11 D-1" -11 D-1" -13 D-1" -11

At the same time, when work measures from start

14" 14" 14½" 14½"

To Shape Armhole: Place 8 Sts. at side edge on a St. holder for underarm.

Then at same edge D-2R-8 D-2R-12 D-1R-16 D-1R-16

When armhole measures

7" 7" 8" 8"

(take measurement straight up from Sts. on St. holder at underarm), place remaining

44 Sts. 44 Sts. 48 Sts. 50 Sts.

on a St. holder (the 8 Sts. of border at front edge are to be woven to the 8 Sts. of Neck Band).

RIGHT FRONT: Cast on and work to correspond with Left Front until work measures 1 inch from start. Work a buttonhole 2 Sts. from front edge and 4 Sts. wide. To work buttonhole see page 41. Work a buttonhole in same manner every 1½ inches 4 times more. Work remainder of Right Front to correspond with Left Front. After completing armhole place the

36 Sts. 36 Sts. 40 Sts. 42 Sts.

at armhole edge on a St. holder.

On remaining 8 Sts. work even in Stockinette St. for

4½" 4½" 5" 5½"

Place on a St. holder.

Weave or sew shoulder Sts. of Fronts to shoulder Sts. of back.

SLEEVES: With size 3 needles, on right side of work slip 8 Sts. of underarm from St. holder, pick up

92 Sts. 96 Sts. 104 Sts. 112 Sts.

across armhole, slip last 8 Sts. of underarm from St. holder.

Sts. on needle 108 Sts. 112 Sts. 120 Sts. 128 Sts.

Working in Stockinette St., work even for 3 inches; then decrease 1 St. each side. Then at each side

D-1" -10 D-1" -9 D-1" -8 D-1" -4
D-½"-11 D-½"-14 D-½"-17 D-½"-25

Sts. on needle 64 Sts. 64 Sts. 68 Sts. 68 Sts.

Work measures 18½" 19" 19½" 19½"

from picked-up Sts. Change to size 2 needles and work even in K. 2, P. 2 ribbing for 3 inches. Bind off.

Sew underarm and sleeve seams. Sew neck band to back neck edge, weaving Border Sts. together at left shoulder edge. Work 1 row S. C. around neck and front edges. Face front border with 1-inch grosgrain ribbon.

GROUP 2

Then change to size 4 needles and Stockinette St. (except for the 2 P. Sts. next to the 6 Stockinette Sts. at front edge), increase across next row (right side of work) as follows:

Increase 1 St. in every 5th St. 6th St. 9th St. 10th St.
8 8 6 6

times across row, ending

K6,P2,K6 K2,P2,K6 K4,P2,K6 K2,P2,K6

Now always decreasing inside the border at front edge by K. the 10th and 11th St. from edge together, decrease 1 St. at front edge, then at same edge

D-1"-13 D-1"-13 D-1"-12 D-1"-15
D-1½"-2

At the same time, when work measures from start

14" 14" 14½" 14½"

To Shape Armhole: Place 6 Sts. at side edge on a St. holder for underarm.

Then at same edge D-2R-6 D-2R-10 D-2R-12 D-1R-14

When armhole measures

7" 7" 8" 8"

(take measurement straight up from Sts. on St. holder at underarm), place remaining

36 Sts. 36 Sts. 39 Sts. 40 Sts.

on a St. holder (the 6 Sts. of border at front edge are to be woven to the 6 Sts. of Neck Band).

RIGHT FRONT: Cast on and work to correspond with Left Front until work measures 1 inch from start. Work a buttonhole 2 Sts. from front edge and 3 Sts. wide. To work buttonhole see page 41. Work a buttonhole in same manner every 1½ inches 4 times more. Work remainder of Right Front to correspond with Left Front. After completing armhole place the

30 Sts. 30 Sts. 33 Sts. 34 Sts.

at armhole edge on a St. holder.

On remaining 6 Sts. work even in Stockinette St. for

4½" 4½" 5" 5½"

Place on a St. holder.

Weave or sew shoulder Sts. of front to shoulder Sts. of back.

SLEEVES: With size 4 needles, on right side of work, slip 6 Sts. of underarm from St. holder, pick up

76 Sts. 80 Sts. 86 Sts. 92 Sts.

across armhole, slip last 6 Sts. of underarm from St. holder.

Sts. on needle 88 Sts. 92 Sts. 98 Sts. 104 Sts.

Working in Stockinette St., work even for 3 inches, then decrease 1 St. each side. Then at each side

D-1" -14 D-1" -13 D-1" -13 D-1" -10
D-½"-3 D-½"-6 D-½"-7 D-½"-13

Sts. on needle 52 Sts. 52 Sts. 56 Sts. 56 Sts.

(Continued on next page)

GROUP 2

Work measures 18½" 19" 19½" 19½" from picked-up Sts., change to size 3 needles and work even in K. 2, P. 2 ribbing for 3 inches. Bind off.

Sew underarm and sleeve seams. Sew neck band to back neck edge, weaving Border Sts. together at left shoulder edge. Work 1 row S. C. around neck and front edges. Face front border with 1-inch grosgrain ribbon.

GRANVILLE

No. 6505

(Continued from Page 10)

GROUP 1

FRONT: With size 2 needles, cast on
144 Sts. 152 Sts. 172 Sts. 180 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then change to size 3 needles and work even in Stockinette St. until work measures from start
17" 17" 18" 19"

Next row, work over first
72 Sts. 76 Sts. 86 Sts. 90 Sts.
and place these Sts. on a St. holder. On remaining Sts. work right shoulder as follows:
To Shape Armhole: At side edge place first 8 Sts. on a St. holder, then at same edge
D-2R-10 D-2R-10 D-2R-12 D-2R-12
At the same time, decrease 1 St. at neck edge, then at same edge D-3R-21 D-3R-16 D-3R-19 D-3R-15
D-2R-9 D-2R-10 D-2R-16

When armhole measures
6¼" 6¼" 7" 7"
(Take measurement straight up from Sts. on St. holder at underarm.) Work even in Garter St. for
¾" ¾" 1" 1"

Place on a St. holder remaining
32 Sts. 32 Sts. 36 Sts. 38 Sts.

Slip Sts. of left shoulder from St. holder and work to correspond.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

SLEEVES: With size 3 needles on right side of work, slip the 8 Sts. of underarm from St. holder, pick up
112 Sts. 112 Sts. 128 Sts. 136 Sts.
around armhole, slip the last 8 Sts. of underarm from St. holder.

GROUP 2

Place on a St. holder remaining
84 Sts. 88 Sts. 98 Sts. 102 Sts.

FRONT: With size 3 needles, cast on
116 Sts. 124 Sts. 140 Sts. 148 Sts.

Work even in K. 2, P. 2 ribbing for 2 inches. Then change to size 4 needles and work even in Stockinette St. until work measures from start 17" 17" 18" 19"

Next row, work over first
58 Sts. 62 Sts. 70 Sts. 74 Sts.
and place these Sts. on a St. holder. On remaining Sts. work right shoulder as follows:
To Shape Armhole: At side edge place first 6 Sts. on a St. holder, then at same edge
D-2R-8 D-2R-9 D-2R-10 D-2R-11
At the same time, decrease 1 St. at neck edge, then at same edge D-3R-17 D-3R-14 D-3R-15 D-3R-11
D-2R-6 D-2R-9 D-2R-15

When armhole measures
6¼" 6¼" 7" 7"
(Take measurement straight up from Sts. on St. holder at underarm.) Work even in Garter St. for
¾" ¾" 1" 1"

Place on a St. holder remaining
26 Sts. 26 Sts. 29 Sts. 30 Sts.

Slip Sts. of left shoulder from St. holder and work to correspond.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

SLEEVES: With size 4 needles on right side of work slip the 6 Sts. of underarm from St. holder, pick up
92 Sts. 92 Sts. 104 Sts. 112 Sts.
around armhole, slip the last 6 Sts. of underarm from St. holder.

(Continued on Page 32)

No. 6505 *(Continued from Page 31)*

GROUP 1

Work even in Stockinette St. for 1 inch. Then decrease 1 St. each side, then at each side

	D-2R-15	D-2R-15	D-3R-3	D-2R-22
	D-1R-5	D-1R-5	D-2R-19	
Sts. on needle	86 Sts.	86 Sts.	98 Sts.	106 Sts.
When work measures from picked up Sts.	4½″	4½″	6″	6″
decrease 10 Sts. across next row (right side of work) as follows:				
K. together every	7th St. and 8th St.	7th St. and 8th St.	8th St. and 9th St.	9th St. and 10th St.

Change to size 2 needles and work even in K. 2, P. 2 ribbing for 1 inch. Bind off.

Sew underarm and sleeve seams.

NECK BAND: With size 2 double point needles, slip remaining 36 Sts. 44 Sts. 48 Sts. 52 Sts. of Back from St. holder, pick up 132 Sts. 132 Sts. 160 Sts. 160 Sts. around front neck edge and work even in K. 2, P. 2 ribbing for ¾″ ¾″ 1″ 1″ mitering V-neck at center front by K. 2 Sts. together 2 times every row. Bind off loosely.

GROUP 2

Work even in Stockinette St. for 1 inch. Then decrease 1 St. each side, then at each side

	D-2R-15	D-2R-15	D-2R-16	D-2R-16
Sts. on needle	72 Sts.	72 Sts.	82 Sts.	90 Sts.
When work measures from picked up Sts.	4½″	4½″	6″	6″
decrease 10 Sts. across next row (right side of work) as follows:				
K. together every	6th St. and 7th St.	6th St. and 7th St.	7th St. and 8th St.	7th St. and 8th St.

Change to size 3 needles and work even in K. 2, P. 2 ribbing for 1 inch. Bind off.

Sew underarm and sleeve seams.

NECK BAND: With size 3 double point needles, slip remaining 32 Sts. 36 Sts. 40 Sts. 42 Sts. of Back from St. holder, pick up 108 Sts. 108 Sts. 132 Sts. 134 Sts. around front neck edge and work even in K. 2, P. 2 ribbing for ¾″ ¾″ 1″ 1″ mitering V-neck at center front by K. 2 Sts. together 2 times every row. Bind off loosely.

ENDICOTT

No. 6506

(Continued from Page 12)

GROUP 2

BACK: Cast on	112 Sts.	118 Sts.	130 Sts.	136 Sts.
Working in K. 1, P. 1 ribbing, work even for 1 inch. Decrease 1 St. each side, then at each side	D-½″-6	D-½″-6	D-½″-6	D-1″-8
	D-1″ -3	D-1″ -3	D-1″ -4	
When work measures from start	9″	9″	10″	11″
increase 1 St. each side, then at each side	I-¼″-9	I-¼″-10	I-¼″-8	I-¼″-4
	I-½″-3	I-½″-3	I-½″-6	I-½″-8
Sts. on needle	118 Sts.	126 Sts.	138 Sts.	144 Sts.

GROUP 3

Working in K. 1, P. 1 ribbing, work even for 1 inch. Decrease 1 St. each side, then at each side	D-½″-2	D-1″-6	D-1″-5	D-1″-2
	D-1″ -5		D-2″-1	D-2″-3
When work measures from start	9″	9″	10″	11″
increase 1 St. each side, then at each side	I-¼″-2	I-¼″-2	I-½″-8	I-½″-4
	I-½″-7	I-½″-7	I-1″ -1	I-1″ -3
Sts. on needle	84 Sts.	90 Sts.	98 Sts.	102 Sts.
Work even until work measures from start	15″	15″	16½″	18″

(Continued on next page)

GROUP 2

Work even until work measures from start
15″ 15″ 16½″ 18″

To Shape Armhole: Bind off 4 Sts. at the beginning of each of the next 4 rows, then at each side
D-1R-7 D-1R-11 D-1R-12 D-1R-12

Work even until armhole measures
6½″ 7″ 7½″ 7½″
Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulders: At each side
B-6-2R-5 B-6-2R-5 B-5-2R-4 B-5-2R-6
B-6-2R-2 B-4-2R-1

Bind off remaining 28 Sts. 28 Sts. 34 Sts. 36 Sts.

POCKET FACING: Cast on
28 Sts. 28 Sts. 30 Sts. 30 Sts.

Work in K. 1, P. 1 ribbing for
3″ 3″ 3½″ 4″
Place Sts. on a St. holder. Make 2.

LEFT FRONT: Cast on
64 Sts. 68 Sts. 74 Sts. 80 Sts.

Working first 54 Sts. 58 Sts. 64 Sts. 70 Sts.
in K. 1, P. 1 ribbing and the remaining 10 Sts. at front edge in Border Pattern, work even for 1 inch.

Decrease 1 St. at side edge, then at same edge
D-½″-6 D-½″-6 D-½″-6 D-½″-6
D-1″ -3 D-1″ -3 D-1″ -4 D-1″ -5

When work measures from start
9″ 9″ 10″ 11″
increase 1 St. at side edge, then at same edge
I-¼″-6 I-¼″-6 I-¼″-8 I-¼″-10
I-½″-7 I-½″-7 I-½″-8 I-½″-7

When work measures from start
15″ 15″ 16½″ 18″
work a Knit-in pocket as follows (right side):
Work across 22 Sts. 24 Sts. 26 Sts. 28 Sts.
Place on St. holder the next
28 Sts. 28 Sts. 30 Sts. 30 Sts.
Work pocket facing Sts. from St. holder, work to end of row.

GROUP 3

To Shape Armholes: Bind off 3 Sts. at the beginning of each of the next 4 rows, then at each side
D-1R-5 D-1R-8 D-1R-8 D-1R-8

Work even until armhole measures
6½″ 7″ 7½″ 7½″
Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulders: At each side
B-4-2R-5 B-4-2R-5 B-5-2R-2 B-5-2R-3
B-4-2R-3 B-4-2R-2

Bind off remaining 22 Sts. 22 Sts. 26 Sts. 28 Sts.

POCKET FACING: Cast on
19 Sts. 19 Sts. 23 Sts. 23 Sts.

Work as follows:
Row 1—K. 1, * P. 1, K. 1 repeat from * across row.

Row 2—P. 1, * K. 1, P. 1 repeat from * across row. Repeat these 2 rows for 3″ 3″ 3½″ 4″
ending with Row 2. Place Sts. on a St. holder. Make 2.

LEFT FRONT: Cast on
46 Sts. 48 Sts. 52 Sts. 58 Sts.

Working first 38 Sts. 40 Sts. 44 Sts. 50 Sts.
in K. 1, P. 1 ribbing and remaining 8 Sts. at front edge in Border Pattern, work even for 1 inch.

Decrease 1 St. at side edge, then at same edge
D-1″-6 D-1″-6 D-1″-5 D-1″-8
D-2″-1

When work measures from start
9″ 9″ 10″ 11″
increase 1 St. at side edge, then at same edge
I-½″-8 I-½″-8 I-½″-12 I-½″-8
I-1″ -1 I-1″ -1 I-1″ -2

When work measures from start
15″ 15″ 16½″ 18″
work a knit-in pocket as follows (right side):
Work across 15 Sts. 15 Sts. 18 Sts. 18 Sts.
Place on a St. holder the next
19 Sts. 19 Sts. 23 Sts. 23 Sts.
Work pocket facing Sts. from St. holder, work to end of row.

(Continued on Page 34)

No. 6506 *(Continued from Page 33)*

GROUP 2

When work measures 16″ 16″ 17½″ 19″
To Shape Armhole: At side edge bind off 4 Sts. every other row 2 times, then at same edge
D-2R-8 D-2R-9 D-1R-12 D-1R-13
At the same time, ½ inch above start of armhole, decrease 1 St. at front edge by K. the 12th and 13th St. together. (All decreases at front edge are made inside of front border.) At same edge D-3R-8 D-3R-11 D-3R-23 D-3R-17
D-2R-13 D-2R-13 D-2R-9

Work even until armhole measures
6½″ 7″ 8″ 8″
Take measurements straight up from the bound-off Sts. at underarm.

To Shape Shoulder: At side edge B-5-2R-6 B-7-2R-4
B-6-2R-5 B-6-2R-5 B-6-2R-1 B-5-2R-2

RIGHT FRONT: Cast on and work to correspond with Left Front.

Work a buttonhole 22 22 24 24
rows from start, 3 Sts. from front edge and 4 Sts. wide. To work buttonholes see page 41. Work
5 5 6 7
more buttonholes having 16 rows between each buttonhole.

Work remainder of Right Front to correspond with Left Front having decreases and increases on opposite sides. (For decreases at front edge, slip the 12th St., K. the 13th St., pass the Slip St. over the K. St.)

SLEEVE: Cast on 56 Sts. 56 Sts. 60 Sts. 60 Sts.

Work even in Ribbing Pattern for 1 inch. Increase 1 St. each side, then at each side
I-1″-12 I-1″-15 I-1″-16 I-½″-6
I-2″-1 I-1″ -13

Sts. on needle 84 88 94 100

When work measures from start
17″ 18″ 18½″ 18½″
bind off 4 Sts. at the beginning of each of the next 4 rows, then at each side D-2R-16 D-2R-17 D-2R-20 D-2R-20
D-1R-8 D-1R-9 D-1R-7 D-1R-8

Bind off remaining 20 Sts. 20 Sts. 24 Sts. 28 Sts.

To assemble garment, see page 41. Sew pocket facing in place. Slip pocket Sts. from St. holder and work in Border Pattern, starting on wrong side of work, for 6 rows, K. 1 row, then bind off. Turn pocket flap down and sew a button below flap as illustrated.

GROUP 3

When work measures 16″ 16″ 17½″ 19″
To Shape Armhole: At side edge bind off 4 Sts. every other row 2 times. Then at same edge
D-1R-5 D-1R-5 D-1R-6 D-1R-6
At the same time ½ inch above start of armhole decrease 1 St. at front edge by K. the 10th and 11th St. together. (All decreases at front edge are made inside front border.) At same edge D-3R-8 D-3R-15 D-3R-17 D-3R-17
D-2R-7

Work even until armhole measures
6½″ 7″ 8″ 8″
Take measurement straight up from bound-off Sts. at underarm.

To Shape Shoulder: At side edge
B-4-2R-5 B-5-2R-2 B-6-2R-1 B-6-2R-3
B-4-2R-3 B-5-2R-4 B-5-2R-2

RIGHT FRONT: Cast on and work to correspond with Left Front.

Work a buttonhole 17 17 17 13
rows from start, 3 Sts. from front edge and 2 Sts. wide. To work buttonholes, see page 41. Work
5 5 6 7
more buttonholes, having 12 rows between each buttonhole.

Work remainder of Right Front to correspond with Left Front, having decreases and increases on opposite sides. (For decrease at front edge, slip the 10th St., K. the 11th St., pass the slip St. over the K. St.)

SLEEVE: Cast on 40 Sts. 40 Sts. 42 Sts. 42 Sts.

Work even in Ribbing Pattern for 1 inch. Increase 1 St. each side, then at each side
I-1″-4 I-1″-5 I-1″-8 I-1″-12
I-2″-5 I-2″-5 I-2″-4 I-2″-2

Sts. on needle 60 Sts. 62 Sts. 68 Sts. 72 Sts.

When work measures from start
17″ 18″ 18½″ 18½″
bind off 3 Sts. at the beginning of each of the next 4 rows, then at each side D-2R-13 D-2R-14 D-2R-16 D-2R-18
D-1R-4 D-1R-4 D-1R-3 D-1R-3

Bind off remaining 14 Sts. 14 Sts. 18 Sts. 18 Sts.

To assemble garment, see page 41. Sew pocket facings in place. Slip pocket Sts. from St. holder and work in Border Pattern, starting on wrong side of work, for 6 rows, K. 1 row, then bind off. Turn pocket flap down and sew a button below flap as illustrated.

SHERWOOD

No. 6507

(Continued from Page 14)

GROUP 1

To Shape Armhole: Bind off 8 Sts. at side edge of work. Then D-2R-8 D-2R-12 D-2R-13 D-2R-12

Work even until armhole measures 4½" 4½" 5" 5" straight up from bound-off Sts. at underarm.

To Shape Neck: Slip first 8 Sts. at front edge of work on a St. holder. Then at same edge D-1R-16 D-1R-16 D-1R-19 D-1R-22

When armhole measures 6½" 6½" 7½" 7½" work even in Garter St. for ½ inch.

Place on a St. holder remaining 36 Sts. 36 Sts. 40 Sts. 42 Sts.

RIGHT FRONT: Cast on and work as for Left Front. When work measures 2" 2" 1½" 2½"

Work a buttonhole 2 Sts. from front edge and 5 Sts. wide on next row and every 2½" 2½" 2¾" 2¾" thereafter until 8 buttonholes in all are worked. To work buttonholes, see page 41. (The 9th buttonhole is worked in center of neckband in same manner.) Work Right Front to correspond with Left Front, having decreases on opposite sides.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

SLEEVES: Cast on 64 Sts. 64 Sts. 68 Sts. 68 Sts.

Work even in K. 2, P. 2, ribbing for 3 inches. Then working in Stockinette St., increase 10 Sts. across next row by increasing 1 St. in every 6th St.

Sts. now on needles 74 Sts. 74 Sts. 78 Sts. 78 Sts.

Work even for 1 inch, then increase 1 St. each side. Then at each side I-1" -12 I-1" -12 I-1" -12 I-1" -6 I-½"-2 I-½"-2 I-½"-4 I-½"-14

Sts. now on needles 104 Sts. 104 Sts. 112 Sts. 120 Sts.

When work measures from start 18" 18" 18½" 18½" bind off 8 Sts. at the beginning of each of the next 2 rows.

GROUP 2

Work even in K. 2, P. 2 ribbing for 2 inches. Then work even in Stockinette St. until work measures from start 17" 17" 18" 19"

To Shape Armhole: Bind off 6 Sts. at side edge of work. Then D-2R-8 D-2R-10 D-2R-12 D-2R-10

Work even until work measures 4½" 4½" 5" 5" straight up from bound-off Sts. at underarm.

To Shape Neck: Slip first 7 Sts. at front edge of work on a St. holder. Then at same edge D-1R-11 D-1R-13 D-1R-15 D-1R-19

When armhole measures 6½" 6½" 7½" 7½" work even in Garter St. for ½ inch.

Place on a St. holder remaining 28 Sts. 28 Sts. 32 Sts. 34 Sts.

RIGHT FRONT: Cast on and work as for Left Front. When work measures 2" 2" 1½" 2½"

Work a buttonhole 2 Sts. from front edge and 4 Sts. wide on next row and every 2½" 2½" 2¾" 2¾" thereafter until 8 buttonholes in all are worked. To work buttonholes, see page 41. (The 9th buttonhole is worked in center of neckband in same manner.) Work Right Front to correspond with Left Front, having decreases on opposite sides.

Weave Sts. of each front shoulder to corresponding Sts. of each shoulder of back.

SLEEVES: Cast on 52 Sts. 52 Sts. 56 Sts. 56 Sts.

Work even in K. 2, P. 2 ribbing for 3 inches. Then working in Stockinette St., increase 10 Sts. across next row by increasing 1 St. in every 5th St.

Sts. now on needles 62 Sts. 62 Sts. 66 Sts. 66 Sts.

Work even for 1 inch, then increase 1 St. each side. Then at each side I-1½"-8 I-1½"-8 I-1½"-6 I-1" -11 I-½"-2 I-½" -2 I-1" -5 I-½" -4

Sts. now on needle 84 Sts. 84 Sts. 90 Sts. 98 Sts.

(Continued on Page 36)

No. 6507 *(Continued from Page 35)*

GROUP 1

Then at each side	D-1R-24 B-4-2R-2	D-1R-24 B-4-2R-2	D-1R-30	D-1R-34
Bind off remaining	24 Sts.	24 Sts.	36 Sts.	36 Sts.

NECK BAND: Slip Sts. of Right Front neck edge from St. holder on needle, pick up
28 Sts. 28 Sts. 34 Sts. 36 Sts.
at right neck edge, slip remaining Sts. of Back from St. holder, pick up same number of Sts. on left neck edge as for right neck edge, slip Sts. of Left Front neck edge from St. holder
108 Sts. 112 Sts. 128 Sts. 136 Sts.
on needle. Work even in K. 2, P. 2 ribbing for 1 inch, working 9th buttonhole ½ inch from start at Right Front neck edge. Bind off loosely.

Sew underarm and sleeve seams. Sew 1¼ inch grosgrain ribbon on outside front edges as illustrated.

GROUP 2

When work measures from start
18″ 18″ 18½″ 18½″
bind off 6 Sts. at the beginning of each of the next 2 rows.

Then at each side	D-1R-24	D-1R-24	D-1R-24	D-1R-28
Bind off remaining	24 Sts.	24 Sts.	30 Sts.	30 Sts.

NECK BAND: Slip Sts. of Right Front neck edge from St. holder on needle, pick up
21 Sts. 22 Sts. 27 Sts. 30 Sts.
at right neck edge, slip remaining Sts. of Back from St. holder, pick up same number of Sts. on left neck edge as for right neck edge, slip Sts. of Left Front neck edge from St. holder
88 Sts. 92 Sts. 104 Sts. 112 Sts.
on needle. Work even in K. 2, P. 2 ribbing for 1 inch, working 9th buttonhole ½ inch from start at right front neck edge. Bind off loosely.

Sew underarm and sleeve seams. Sew 1¼ inch grosgrain ribbon on outside front edges as illustrated.

LYNDON

No. 6508

(Continued from Page 16)

GROUP 1

To Shape Armholes: Bind off 8 Sts. at the beginning of each of the next 2 rows for underarm. Then each side
D-2R-8 D-2R-9 D-2R-9 D-2R-11

When armhole measures 5 inches (take measurements straight up from bound-off Sts. at underarm), work across next row (right side of work) as follows:

	K. 21	K. 23	K. 23	K. 27
Work across next in Row 1 of Pattern	62 Sts.	62 Sts.	74 Sts.	74 Sts.
	K. 21	K. 23	K. 23	K. 27

Continue working center Sts. in Pattern and remaining Sts. in Stockinette St. for 2″ 2″ 2½″ 2½″
Bind off.

POCKET FACING: Cast on
26 Sts. 26 Sts. 29 Sts. 29 Sts.
and work even in Stockinette St. for
4″ 4″ 5″ 5″
Place Sts. on a St. holder. Make 2.

GROUP 2

When work measures from start
16″ 16″ 17″ 18″
To Shape Armholes: Bind off 6 Sts. at the beginning of each of the next 2 rows for underarm. Then each side
D-2R-7 D-2R-9 D-2R-10 D-2R-8

When armhole measures 5 inches (take measurement straight up from bound-off Sts. at underarm), work across next row (right side of work) as follows:

	K. 17	K. 19	K. 19	K. 23
Work across next in Row 1 of Pattern	50 Sts.	50 Sts.	59 Sts.	59 Sts.
	K. 17	K. 19	K. 19	K. 23

Continue working center Sts. in Pattern and remaining Sts. in Stockinette St. for
2″ 2″ 2½″ 2½″
Bind off.

(Continued on next page)

GROUP 1

FRONT: Cast on	134 Sts.	146 Sts.	158 Sts.	170 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Next row (right side of work) work across row as follows:	K. 21	K. 26	K. 26	K. 32
Continue in Pattern across next	26 Sts.	26 Sts.	29 Sts.	29 Sts.
	K. 40	K. 42	K. 48	K. 48
Continue in Pattern across next	26 Sts.	26 Sts.	29 Sts.	29 Sts.
	K. 21	K. 26	K. 26	K. 32
Continue working in this manner and decrease 1 St. each side. Then at each side	D-½″-12	D-½″-12	D-½″-12	D-½″-13
At the same time, when work measures from start	4″	4″	5″	5″
Work across next row (right side of work) as follows: K. across to first group of Pattern Sts. bind off for pocket, opening next	26 Sts.	26 Sts.	29 Sts.	29 Sts.
K. across	40 Sts.	42 Sts.	48 Sts.	48 Sts.
bind off for pocket opening next	26 Sts.	26 Sts.	29 Sts.	29 Sts.
K. to end of row.				

On next row, P. across to first pocket opening, P. pocket facing Sts. from St. holder, P. across to 2nd pocket opening, P. pocket facing Sts. from St. holder, P. to end of row.

When work measures from start	10″	10″	10½″	11″
increase 1 St. each side, then each side	I-¼″-16	I-¼″-16	I-¼″-18	I-¼″-14
				I-½″-3
Sts. on needle	142 Sts.	154 Sts.	170 Sts.	178 Sts.
When work measures from start	16″	16″	17″	18″
To Shape Armhole: Bind off 8 Sts. at the beginning of each of the next 2 rows for underarm. Then each side	D-2R-11	D-2R-15	D-1R-17	D-1R-17
When armhole measures	5″	5″	5½″	5½″

(take measurement straight up from bound-off Sts. at underarm), work remainder of Front in same manner as for Back. Bind off.

GROUP 2

POCKET FACING: Cast on	20 Sts.	20 Sts.	23 Sts.	23 Sts.
and work even in Stockinette St. for	4″	4″	5″	5″

Place Sts. on a St. holder. Make 2.

FRONT: Cast on	110 Sts.	116 Sts.	131 Sts.	143 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Next row (right side of work) work across as follows:	K. 18	K. 21	K. 21	K. 27
Continue in Pattern across next	20 Sts.	20 Sts.	23 Sts.	23 Sts.
	K. 34	K. 34	K. 43	K. 43
Continue in Pattern across next	20 Sts.	20 Sts.	23 Sts.	23 Sts.
	K. 18	K. 21	K. 21	K. 27
Continue working in this manner and decrease 1 St. each side. Then at each side	D-½″-6	D-½″-4	D-½″-10	D-½″-7
	D-1″ -3	D-1″ -4	D-1″ -1	D-1″ -4
At the same time, when work measures from start	4″	4″	5″	5″
Work across next row (right side of work) as follows: K. across to first group of Pattern Sts., bind off for pocket opening next	20 Sts.	20 Sts.	23 Sts.	23 Sts.
K. across	34 Sts.	34 Sts.	43 Sts.	43 Sts.
bind off for pocket opening next	20 Sts.	20 Sts.	23 Sts.	23 Sts.
K. to end of row.				

On next row P. across to first pocket opening, P. pocket facing Sts. from St. holder, P. across to second pocket opening, P. pocket facing Sts. from St. holder, P. to end of row.

When work measures from start	10″	10″	10½″	11″
increase 1 St. each side, then at each side	I-¼″-10	I-¼″-8	I-¼″-12	I-¼″-4
	I-½″-3	I-½″-4	I-½″-3	I-½″-8
Sts. on needle	118 Sts.	124 Sts.	139 Sts.	145 Sts.
When work measures from start	16″	16″	17″	18″
To Shape Armhole: Bind off 6 Sts. at the beginning of each of the next 2 rows for underarm. Then each side	D-2R-11	D-2R-12	D-1R-15	D-1R-14

(Continued on Page 38)

No. 6508 *(Continued from Page 37)*

GROUP 1

SLEEVES: Cast on	95 Sts.	101 Sts.	107 Sts.	116 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Then working in Stockinette St., work even for 1 inch				
Bind off 8 Sts. at the beginning of each of the next 2 rows, then at each side	D-4R-8 D-2R-10 D-1R-8	D-4R-8 D-2R-14 D-1R-8	D-4R-9 D-2R-13 D-1R-8	D-4R-9 D-2R-13 D-1R-11
Bind off remaining	27 Sts.	25 Sts.	31 Sts.	34 Sts.
To assemble Slip-over, see page 41. Sew shoulder seams. Sew pocket facings in place.	2½″	2¾″	3″	3½″

GROUP 2

When armhole measures 5″ 5″ 5½″ 5½″ (take measurement straight up from bound-off Sts. at underarm), work remainder of Front in same manner as for Back. Bind off.

SLEEVES: Cast on	77 Sts.	80 Sts.	86 Sts.	95 Sts.
Work even in Pattern for	2″	2″	2½″	2½″
Then working in Stockinette St., work even for 1 inch.				
Bind off 6 Sts. at the beginning of each of the next 2 rows, then at each side	D-4R-7 D-2R-9 D-1R-5	D-3R-9 D-2R-13	D-4R-9 D-2R-5 D-1R-11	D-4R-9 D-2R-3 D-1R-16
Bind off remaining	23 Sts.	24 Sts.	24 Sts.	27 Sts.
To assemble slip-over, see page 41. Sew shoulder seams. Sew pocket facings in place.	2½″	2¾″	3″	3½″

WHARTON

No. 6509

(Continued from Page 18)

GROUP 1

Sts. on needle	136 Sts.	144 Sts.	156 Sts.	164 Sts.
Work even until work measures from start	14″	14″	15″	16″
To Shape Armholes: Bind off 8 Sts. at the beginning of each of the next 2 rows. Then at each side	D-2R-10	D-2R-14	D-2R-14	D-2R-14
Work even until armhole measures Take measurement straight up from bound-off Sts. at underarm.	6″	6″	6½″	6½″
To Shape Shoulder: At each side	B-4-2R-8	B-4-2R-8	B-4-2R-7 B-8-2R-1	B-5-2R-7 B-3-2R-1
Bind off remaining	36 Sts.	36 Sts.	40 Sts.	44 Sts.

GROUP 2

Now working in Stockinette St., increase 1 St. each side, then at each side	I-¼″-4 I-½″-8	I-¼″-4 I-½″-8	I-¼″-4 I-½″-8	I-¼″-2 I-½″-10
Sts. on needle	110 Sts.	118 Sts.	126 Sts.	134 Sts.
Work even until work measures from start	14″	14″	15″	16″
To Shape Armhole: Bind off 6 Sts. at the beginning of each of the next 2 rows. Then at each side	D-2R-8	D-2R-12	D-2R-11	D-2R 12
Work even until armhole measures Take measurement straight up from bound-off Sts. at underarm.	6″	6″	6½″	6½″

(Continued on next page)

GROUP 1

POCKET FACING: Cast on
40 Sts. 40 Sts. 44 Sts. 44 Sts.

Work even in Stockinette St. for
5″ 5″ 5½″ 5½″
Then place Sts. on a St. holder. Make 2.

LEFT FRONT: Cast on
72 Sts. 76 Sts. 84 Sts. 88 Sts.

Working 10 Sts. at front edge in Ribbing Pattern (for remainder of front) and remainder of Sts. in Stockinette St., work even for 2 inches. Decrease 1 St. at side edge, then at same edge D-½″-5 D-½″-5 D-½″-7 D-½″-9
D-¼″-6 D-¼″-6 D-¼″-4 D-¼″-2
At the same time, when work measures from start (ending with a K. row) 5″ 5″ 5½″ 5½″
Work pocket opening as follows: Work across first 10 Sts. in ribbing, P. 12, bind off next
40 Sts. 40 Sts. 44 Sts. 44 Sts.
P. to end of row. Next row, K. pocket facing Sts. from St. holder over the bound-off Sts. of previous row.

When work measures from start
6″ 6″ 6½″ 7″
Work all Sts in ribbing for 2 inches, starting from front edge.

Now, working 10 Sts. at front edge in Ribbing Pattern and remainder of Sts in Stockinette St., increase 1 St. at side edge
Then at same edge I-¼″-10 I ¼″-10 I ¼″-6 I-¼″-12
I-½″-5 I-½″-5 I-½″ 7 I-½″-5

At the same time, when work measures from top of ribbing
3″ 3″ 3½″ 3½″
decrease 1 St inside border at front edge by K. together the 12th and 13th Sts. from edge, then in same manner at same edge D-6R 15 D-6R-15 D-6R-17 D-6R-18
At the same time, when work measures from start
14″ 14″ 15″ 16″
To Shape Armhole: Bind off 8 Sts. at side edge. Then at same edge D-2R 10 D-2R-12 D-2R-10 D-2R-15

When armhole measures
6″ 6″ 7″ 7″
(take measurement straight up from bound-off Sts. at underarm), bind off at armhole edge for shoulder
32 Sts. 34 Sts. 40 Sts. 42 Sts.

Bind off remaining 10 Sts.

RIGHT FRONT: Cast on and work to correspond with Left Front until work measures from start
7″ 7″ 7½″ 8″

GROUP 2

To Shape Shoulders: At each side
B-4-2R-5 B-4-2R-5 B-5-2R-6 B-5-2R-5
B-6-2R-1 B-6-2R-1 B-6-2R-1

Bind off remaining 30 Sts. 30 Sts. 32 Sts. 36 Sts.

POCKET FACING: Cast on
32 Sts. 32 Sts. 36 Sts. 36 Sts.

Work even in Stockinette St for
5″ 5″ 5½″ 5½″
Then place Sts. on a St. holder. Make 2.

LEFT FRONT: Cast on
60 Sts 62 Sts. 65 Sts. 70 Sts.

Working 8 Sts. at front edge in K. 2, P. 2 ribbing (having the P. 2 at inner edge—for remainder of front) and remainder of Sts. in Stockinette St., work even for 2 inches. Decrease 1 St. at side edge, then at same edge
D-½″-5 D-½″-3 D-1″ -1 D-1″ -1
D-¼″-6 D-¼″-6 D-½″-7 D-½″-8
At the same time, when work measures from start (ending with a K. row) 5″ 5″ 5½″ 5½″
Work pocket opening as follows: Work across first 8 Sts. in ribbing, P. 9, bind off next
32 Sts. 32 Sts. 36 Sts. 36 Sts
P. to end of row. Next row, K. pocket facing Sts. from St. holder over the bound-off Sts. of previous row.

When work measures from start
6″ 6″ 6½″ 7″
Work all Sts. in ribbing for 2 inches, starting from front edge.

Now, working 8 Sts. at front edge in ribbing and remainder of Sts. in Stockinette St., increase 1 St. at side edge, then at same edge I-¼″-6 I-¼″-2 I-¼″-6 I-¼″-8
I-½″-7 I-½″-9 I-½″-7 I-½″-7
At the same time, when work measures from top of ribbing
3″ 3″ 3½″ 3½″
decrease 1 St. inside border at front edge by K. together the 10th and 11th Sts. from edge, then in same manner at same edge D-6R-13 D-6R-13 D-6R-14 D-6R-15
At the same time, when work measures from start
14″ 14″ 15″ 16″
To Shape Armhole: Bind off 6 Sts. at side edge. Then at same edge D-2R-8 D-2R-9 D-2R-7 D-2R-10

When armhole measures
6″ 6″ 7″ 7″
(Take measurement straight up from bound-off Sts. at underarm), bind off at armhole edge for shoulder
26 Sts. 27 Sts. 34 Sts. 36 Sts.

Bind off remaining 8 Sts.

(Continued on Page 40)

No. 6509 *(Continued from Page 39)*

GROUP 1

Work a buttonhole 2 Sts. from front edge and 6 Sts. wide on next row. To work buttonhole, see page 41. Work another buttonhole in same manner after

3½" 3½" 4" 4"

Work remainder of Right Front to correspond with Left Front, having increases and decreases on opposite sides.

After binding off for shoulder on remaining 10 Sts. continue ribbing for 8" 8" 8¼" 8½"
Sew or weave these 10 Sts. to border Sts. of Left Front.

SLEEVES: Cast on 66 Sts. and work even in Ribbing Pattern for 3 inches.

Next row, work across first 24 Sts. in Stockinette St., continue across next 18 Sts. in Ribbing Pattern (these Sts. are worked in Ribbing Pattern for remainder of sleeve). Work across last 24 Sts. in Stockinette St.

Working in this manner, increase 1 St. each side. Then at each side I-½"-6 I-½"-8 I-½"-14 I-½"-20
I-1" -10 I-1" -10 I-1" -7 I-1" -4

Sts on needle 100 Sts. 104 Sts. 110 Sts. 116 Sts.

When work measures from start

17½" 18" 18½" 18½"

bind off 8 Sts. at the beginning of each of the next 2 rows.

Then at each side D-4R-8 D-3R-15 D-3R 13 D-3R-15
D-1R-25 B-4-2R-5 D 1R-10 D-1R-6
B-3-2R-5 B-4-2R-5

On remaining 18 Sts., work even for Saddle Shoulder for

4" 4" 4½" 4¾"

Bind off.

To assemble Cardigan, see page 41.

Sew saddle shoulder in place. Sew neck band to back neck edge. Work 1 row S. C. around front and neck edges. Face inside front and neck edges with 1¼ inch grosgrain ribbon.

GROUP 2

RIGHT FRONT: Cast on and work to correspond with Left Front until work measures from start

7" 7" 7½" 8"

Work a buttonhole 2 Sts. from edge and 5 Sts. wide on next row. To work buttonhole see page 41. Work another buttonhole in same manner after 3½" 3½" 4" 4"
Work remainder of Right Front to correspond with Left Front, having increases and decreases on opposite sides.

After binding off for shoulder on remaining 8 Sts. continue ribbing for 8" 8" 8¼" 8½"
Sew or weave these 8 Sts. to Border of Left Front.

SLEEVES: Cast on 54 Sts. and work even in Ribbing Pattern for 3 inches.

Next row, work across first 20 Sts. in Stockinette St., continue across next 14 Sts. in Ribbing Pattern (these Sts. are worked in Ribbing Pattern for remainder of sleeve), work across last 20 Sts. in Stockinette St.

Working in this manner, increase 1 St. each side. Then at each side I-1"-13 I-1"-14 1 ½" 6 I-½"-10
I-1" -11 I-1" -9

Sts. on needle 82 Sts. 84 Sts. 90 Sts. 94 Sts.

When work measures from start

17½" 18" 18½" 18½"

bind off 6 Sts. at the beginning of each of the next 2 rows.

Then at each side D-4R-7 D-4R-8 D-3R-10 D-3R-11
D-1R-21 B-3-2R-7 D-1R-16 D-1R-5
B-3-2R-2 B-3-2R-6

On remaining 14 Sts., work even for Saddle Shoulder for

4" 4" 4½" 4¾"

Bind off.

To assemble Cardigan, see page 41.

Sew saddle shoulder in place. Sew neck band to back neck edge. Work 1 row S. C. around front and neck edges. Face inside front and neck edges with 1¼ inch grosgrain ribbon.

GENERAL INSTRUCTIONS

DYE LOTS: It is important that you buy sufficient yarn at one time to complete your garment, making certain that each ball or skein has an identical set of dye lot letters printed on the band around the yarn with the color number. Each dye lot may differ slightly in shade from the original dye lot purchased and may give you a streaked effect in your garment.

KNITTING GAUGE: It is important that you determine just how your own work measures before beginning a garment.
At the beginning of each of these instructions you will find the sizes given, the kind of yarn, the sizes of the needles and the number of stitches and rows worked to the inch. This scale applies only to the needles directly above it and is called the knitting gauge. Cast on about 20 stitches (or if a special pattern stitch is used, cast on a multiple of the number of stitches required for the pattern), using the yarn and needles called for in instructions, work 2 inches. Compare scale on swatch with the scale given in instructions. If your scale is different from the scale called for, you must adjust it to correspond to that given for the model. This is done by changing to larger needles to loosen the tension or to smaller needles in order to tighten the tension.

SYMBOLS USED IN THE INSTRUCTIONS IN THIS BOOK

I—means to Increase 1 Stitch.
I-1R-8—means to Increase 1 St. every row, 8 times.
I-2R-8—means to Increase 1 St. every 2nd row, 8 times.
I-1½"-8—means to Increase 1 St. every ½ inch, 8 times.
D—means to Decrease 1 Stitch.
D-1R-8—means to Decrease 1 St. every row, 8 times.
D-2R-8—means to Decrease 1 St. every 2nd row, 8 times.
D-½"-8—means to Decrease 1 St. every ½ inch, 8 times.
B—means to Bind off.
B-4-2R-10—means to Bind off 4 Sts. every 2nd row, 10 times.

KNITTING AND CROCHETING ABBREVIATIONS USED

K. —Knit
P. —Purl
S. C.—Single Crochet
St. —Stitch

ASTERISKS (* *): Star symbols indicate that work between them is to be repeated. When instructions call for repeating a given number of times, it is understood that this is in addition to the original. Thus, repeat 5 times more means 6 times in all.

STOCKINETTE STITCH—means to K. 1 row, P. 1 row alternately.

GARTER STITCH—means to K. every row.

TO WORK EVEN: This means that the rows are to be worked without increasing or decreasing.

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on, on the next row directly over the bound-off sts. Work around buttonholes in Buttonhole St.

FINISHING A NEW GARMENT

BLOCKING: Using rustproof pins, pin each piece wrong side out on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry.

JOINING: Sew Pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible, easing in any extra fullness. In sewing in the sleeves be sure to ease the fullness toward the top. Another method of sewing the garment together is to pin edges, easing in any extra fullness, then sew a narrow dressmaker's seam, using a back stitch. Press seams lightly.

WEAVING STOCKINETTE STITCH: Thread a darning needle and bring pieces to be joined close together. Draw up yarn in first stitch on upper piece, inserting needle from wrong side; insert needle from right side in first stitch on lower piece and bring up through next stitch on lower piece from wrong side, draw up yarn; * insert needle from right side in same stitch as before on upper piece and bring up through next stitch on upper piece from wrong side, draw up yarn; insert needle from right side in same stitch as before on lower piece and bring up through next stitch on lower piece, draw up yarn. Repeat from * until all stitches are joined. Fasten yarn well before breaking off.

TAPING: To insure the shoulders retaining their fit, it is advisable, where possible, to tape the shoulder seams.

WASHING

Take measurements or make an accurate chart. Make suds in LUKEWARM water using mild alkali free flakes such as Ivory Soap Flakes. If the water is hard, better results can be obtained by using a good water normalizer such as Calgon. Squeeze suds through fabric. DO NOT RUB. Handle gently; do not lift out of water, as the weight of wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in LUKEWARM normalized water. Squeeze out as much water as possible, DO NOT TWIST OR WRING, and roll in dry turkish towels to absorb excess moisture. Shape garment, wrong side out, according to measurements, and pin to chart using rustproof pins. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat. When garment is dry, if necessary, press like a new garment.

Never hang a handknit on a clothes hanger or hook.

Always lay the article flat when not in use.

MINERVA YARNS

JAMES LEES & SONS COMPANY

Bridgeport, Penna.

NEW YORK OFFICE: 295 Fifth Avenue CHICAGO OFFICE: 37 S. Wabash Avenue LOS ANGELES OFFICE: 722 S. Los Angeles Street

MINERVA
Stitches and Styles
MINERVA
Book on Cottons
MINERVA
Baby and Juvenile Book
Price 25¢
MINERVA
Afghans
MINERVA
Complete Knitting Manual
KNITTING EXPLAINED FROM A
STITCHES AND STYLES
Vol. 61
MINERVA
MINERVA
Hand knits for Men in the Service
Vol. 8
MINERVA
YARNS